TECHNICAL DEPT.

# AVIATION

*The Oldest American Aeronautical Magazine*

JANUARY 17, 1927 Issued Weekly PRICE 15 CENTS



Two Marine Corps DH's and a Douglas on the Recent-Trans-Continental Flight

Wide World Photo

VOLUME XXII

NUMBER 3

## SPECIAL FEATURES

ENGINES AT THE PARIS AERO SHOW
DURALUMIN WELDING
THE FORD FLIVVER AIRPLANE

GARDNER PUBLISHING CO., INC.
HIGHLAND, N. Y.
250 W. 57TH ST., NEW YORK

Entered as Second-Class Matter, Nov. 22, 1920, at the Post Office, at Highland, N. Y. under Act of March 3, 1879

TOLEDO PUBLIC LIBRARY

# *Announcing* ——

(MODEL 02U-1)

## *The* VOUGHT *"CORSAIR"*

A two-place observation land-and-seaplane, possessing the characteristics and performance of standard single seater pursuit planes.

***Designed and Constructed in Coöperation with the Bureau of Aeronautics for the United States Navy.***

CHANCE VOUGHT CORPORATION

LONG ISLAND CITY, NEW YORK

# The Vacuum Oil Company was first to make a scientific study of automobile lubrication and pioneered in aircraft engine lubrication



# The majority of aircraft manufacturers use Mobiloil for their test and development work

# These manufacturers appreciate the lubrication advice of the company that has specialized longest and most intensively in lubrication. Which means —

That the Mobiloil engineers are best equipped through knowledge and experience to recommend the correct oil for your plane. It means further that Mobiloil is a *specialized* product, made from crudes bought solely for lubricating value—not gasoline yield.

These facts explain why Mobiloil is selected again and again for the most difficult and exacting flights.

We will be glad to confer with you on any matter pertaining to aircraft lubrication. Please address: Vacuum Oil Company, 61 Broadway, New York City.

GARGOYLE

**Mobiloil**

**VACUUM OIL COMPANY** MAIN BRANCHES: *New York, Chicago, Philadelphia, Boston, Buffalo, Detroit, Pittsburgh, Minneapolis, St. Louis, Kansas City, Dallas.*

**Other branches and distributing warehouses throughout the country**


MARTIN U.S.A.
MARTIN U.S.A.
MARTIN U.S.A.
MARTIN U.S.A.
MARTIN U.S.A.
TRADE MARK
Experience dating back to the infancy of the art of aviation
THE GLENN L. MARTIN COMPANY
CLEVELAND, OHIO



# THE AIRPLANE THAT DOES THE HARD JOBS FOR AMERICA

Practically all of the exploring and pioneering expeditions of the United States Government the past two years have been successfully accomplished with Loening Amphibians.

BYRD — Came back safely from Greenland — after six thousand miles of the most dangerous kind of flying in addition to the hazardous task, not yet equalled, of establishing bases, landing, and taking off from this difficult arctic country with no other support.

BATTEN — Accomplished his Aerial Survey of the Rainy Lakes and the Canadian border with complete success — a feat the Army could not previously accomplish because it took an amphibian and a *good one* to do it.

MC DONALD — Beat the records, for speed with load, of the World's best seaplanes with an Army Loening Amphibian, not only as a seaplane but carrying all its landing gear along in addition.

SCHILDAUER — Returned from Cuba, his hydrographic survey for the Navy successfully completed without a hitch, using the very same planes that Byrd flew in the Arctic.

POPE — With no publicity or announcements, successfully accomplished his work for the Navy in the Gulf of Venezuela under the worst tropical conditions.

WYATT — Went up to Alaska with his fleet of Loening Amphibians — flew about fifty thousand miles without a single forced landing of any kind, and flew back down the Pacific Coast to San Diego, completing one of the most brilliant exploits in the annals of American Aviation, and with more than double the amount of difficult Survey work accomplished than had been thought possible.

MOST DIFFICULT of all aviation problems of National Defence giving serious concern to the authorities in Washington, is the development in America of Naval Aircraft that, when launched from the catapults, will land on the aircraft carrier — or when launched from the carrier will land and take off the water. The Loening Amphibian has the proud distinction of being to date the only aircraft of any type that has successfully and conclusively solved this problem.

*THE AIRPLANE THAT DOES THE HARD JOBS FOR AMERICA*

## THE LOENING AMPHIBIAN



**THE "WASP"**
**425 HP at 1900 RPM**
**WEIGHT 650 lbs.**

# *Another "WASP" Success*

The "Wasp" has definitely proven its superiority to the water cooled powerplants in the Navy single-place fighters.

Flight tests of this new two-place observation type equipped with the "Wasp" indicate the same superiority. This new ship is indeed a worthy successor to the long line of successful Vought types.

PRATT & WHITNEY, U.S.A. DEPENDABLE ENGINES

THE
**PRATT & WHITNEY AIRCRAFT CO.**
HARTFORD CONNECTICUT

LANDING FACILITIES MUNICIPAL FIELD AND CONNECTICUT RIVER ON AIRWAYS MAPS

# AVIATION

THE GARDNER PUBLISHING COMPANY, INC.

*Business and Editorial Offices:*—250 W. 57TH ST., NEW YORK

*Cable Address:*—AEROENG

*Publication Office:*—HIGHLAND, N. Y.

LESTER D. GARDNER, *President*
EARL D. OSBORN, *Vice-President*
W. L. LEPAGE, *Editor*
GEORGE NEWBOLD, *Business Manager*
L. D. WEBSTER, *Treasurer*

Vol. XXII JANUARY 17, 1927 No. 3


# Index to Contents


NEWS ARTICLES AND ITEMS

| | |
|---|---|
| Pal-Waukee Airport at Mount Prospect, Ill. | 128 |
| Air Mail Service Closes Year of Records | 128 |
| Navy Training Plane Designs Submitted | 128 |
| Monel-Plymetl | 132 |
| New World Records | 132 |
| Belgian Builds Air Yacht | 132 |
| Napier Engines Used in Record Flights | 133 |
| Changes in Air Schedule | 134 |
| The German Institute of Air Law | 134 |
| Colonial Air Transport, Inc. Increases Stock | 134 |
| Work on Fuel Injector Engines | 134 |
| The Northwest Aerial Forest Patrol | 140 |
| On Airplane Arresting Gears | 140 |

FEATURES AND DEPARTMENTS

| | |
|---|---|
| Editorial | 121 |
| Engines at the Paris Aero Show | 122 |
| Duralumin Welding | 130 |
| Aviation in the Morrocan War | 133 |
| Pictures in the News | 136-137 |
| The Ford "Flivver" Airplane | 138 |
| Side Slips | 141 |
| Foreign Aeronautical News Notes | 142 |
| American Aircraft Directory | 144 |
| Airports and Airways | 145 |
| U. S. Air Forces | 147 |

| | |
|---|---|
| ADVERTISING INDEX | 153 |
| WHERE TO FLY | 154-155 |
| CLASSIFIED ADVERTISING | 155 |
| AIRCRAFT SERVICE DIRECTORY | 156-157-158 |



*Subscription price: Four dollars per year. Canada, five dollars. Foreign, six dollars. Single current copies, fifteen cents. Back numbers, 25 cents. Advertising rates on application.*

*Issued every Monday. Forms close ten days previously. Entered as second-class matter Nov. 22, 1920, at the Post Office at Highland, N. Y., under act of March 3, 1879.*



*Copyright 1927, by the Gardner Publishing Company*


## *With the Editor*

For a long time there has been much discussion of Henry Ford's plans with regard to the development of a low-powered airplane of the lightplane class. Until last Summer this discussion consisted for the most part of a series of rumors which took a multiplicity of forms. At the time of the start of the Airplane Reliability Tour, however, Mr. Ford's first "flivver" airplane was shown to the public. Few details have been made available concerning this plane but a description of the machine is published this week in AVIATION. The machine is regarded by the Ford organization purely as an experimental development and, it is understood, there is no intention of placing machines of this type on the market at this time. However, since its first appearance when it was flown at Dearborn Airport last Summer a new engine has been designed for the little machine to replace the Anzani with which it was originally equipped, and this might be taken as indicating a serious intention on the part of the manufacturers, eventually, to enter the lightplane field of aircraft manufacture. If this surmise is correct it naturally has a great deal of interest attached to it and future developments will be watched.

# *The* CURTISS "HAWK" SERIES

CURTISS P-1B "HAWK". STANDARD ARMY TYPE. CURTISS D-12 MOTOR.



CURTISS F6C-3 "HAWK". NAVY SEAPLANE. CURTISS D-12 MOTOR.

CURTISS AT-4 "HAWK". PURSUIT TRAINING. "HISSO" MOTOR. (OR WRIGHT J-5 MOTOR).

CURTISS F6C-4 "HAWK". NAVY LANDPLANE. PRATT & WHITNEY "WASP" MOTOR.

IT is a universally accepted fact that the Curtiss D-12 motored "Hawk" of the Army P-1B type, is just about the finest pursuit machine in service today.

It may not be so universally known that the "Hawk" type is basically adaptable to various power-plant installations, without impairing in the least its characteristic excellence of performance and serviceability.

Above are shown four types of the "Hawk" each developed to meet a peculiar requirement of Army and Navy pursuit operations.

**Each fulfills its function so satisfactorily that production orders for all types shown above are now being executed.**

**THE CURTISS AEROPLANE & MOTOR COMPANY, INC.**

**Offices:**
**GARDEN CITY, N. Y.**

**Factories:**
**GARDEN CITY & BUFFALO, N. Y.**

JAN 22 1927

AVIATION

*The Oldest American Aeronautical Magazine*

VOL. XXII JANUARY 17, 1927 No. 3

## Aero Engines Under Review

THE PARIS Aero Show was, perhaps, a little more "international" as regards its display of engines than it was as far as airplanes are concerned. In addition to the thirty-two French engines exhibited, two British firms, both, curiously enough, champions of the air-cooled engine, displayed, in all, seven engines and there were, too, representatives of Italian and Czechoslovakian airplane engine constructors at the Show. Thus, it may be said that, in general, the Paris Show gave a very fair idea of the present trend of engine construction in Europe.

Undoubtedly the most outstanding feature of the Show, from the viewpoint of engine development was the extent to which the air-cooled radial engine is, apparently, coming into favor. Particularly is this point interesting in the case of the French aircraft industry. The Show marked the greatly increased attention being given in France to the radial air-cooled powerplant, a situation fostered, no doubt, by the extensive use of the French-built Jupiter engine during the past year. It was reported, for example, that the Jupiter engine was fitted into approximately fifty percent of the planes exhibited at the Show.

These engines, themselves, call for little comment, since they follow the general lines of radials, the new Lorraine-Dietrich air-cooled engines resembling very closely the well-known Armstrong-Siddeley Jaguar with the double row staggered cylinders. An interesting departure in this class is the Salmson radial air-cooled AB-18 eighteen cylinder 460 hp. engine in which the cylinders, arranged in two rows, are not staggered but are placed one directly behind the other. The immediate thought is that the rear cylinders would tend to become overheated owing to the shielding effect of the front row. The manufacturers claim, however, that this is not the case, pointing, firstly, to the fact that the fins of the cylinders, in tandem pairs, are interconnected, allowing an even distribution of heat and heat dissipation; and, secondly, that when operating in the slipstream of a propeller, the rear cylinders are actually only partially shielded inasmuch as the slipstream is not parallel to the longitudinal axis of the machine.

Turning to water-cooled engines, it is very noticeable that, in the majority of French engines of the higher powers, the necessary cylinder capacity is obtained by employing many cylinders rather than by using a large individual cylinder capacity, as is more or less the custom in this country. For example, no less than four of the engines exhibited had eighteen cylinders. The highest powered engine of these four developed 700 hp.

Judging by present trends in American design, twelve cylinders is considered ample for an engine of this power and even higher. While there are certainly a number of technical considerations involved, to the layman it would seem that the smaller number of cylinders has a direct advantage for it means fewer valves, fewer spark plugs and, in fact, a very material reduction in the complicity of the engine, which in turn means increased reliability. So that it would seem we have little to learn from the French practices in this connection.

It is interesting also to draw attention to the apparent popularity of what has come to be called the "broad-arrow" type of engine, especially for the higher powers. Usually there are 60 deg. between the banks of cylinders, either four or six in a row so that the two outer banks are set at 120 deg. to each other. Of course, this form of construction shortens considerably the overall length of an engine of a given power but it also widens the engine and adds materially to the problems of streamlining the cylinder banks under a suitable cowling. It is, in fact, one of the great advantages of the American high powered engines, such as the Packard 1500 and Curtiss D-12, that these powerplants are comparatively narrow for their power output and lend themselves, therefore, to installation in the nose of a pursuit plane fuselage, in which type speed is of such importance.

Among the more or less novel features in the engines at the Paris Show was the Panhard-Levassor "Sans Soupapas" (valveless) engine in which the sleeve valve principle is employed. This engine recently secured second place in the French engine competition during the trials of which one of the engine's chief features was its low gasoline consumption. This development is particularly interesting at a time when an American engine employing much the same valve principle is about to enter the market, even though the American product is to be an air-cooled engine whereas the Panhard-Levassor is a water-cooled powerplant.

No discussion, at this time, of French engine development would be complete without mention of the Caffort twelve-cylinder horizontally opposed engine which it is claimed, develops 500 hp. Few details are available concerning this engine and it is understood that it has only been given preliminary trials, greater power being expected during subsequent tests. The engine, however, is interesting in view of its novel arrangement which would lend itself very admirably to installation in the leading edge of the thick wing of a giant airplane. In fact, the airplane, to be equipped with, for example, twin engines of this type fitted into the wings would not have to be particularly large for, judging from the photograph it might be estimated that the total depth of the Caffort engine is something less than eighteen inches at the outside and the wing depth of a Fokker Tri-Motor monoplane or a Ford Stout three-engine transport near the fuselage is approximately of this depth. The Caffort engine may, therefore, have wide possibilities.

# Engines at the Paris Aero Show

## *European Engine Development Well Represented at Grande Palais*

IN ADDITION to the very characteristic showing of airplanes at the Tenth Paris Aviation Salon, which was held at the Grande Palais, Paris, Dec. 3-19, the exhibition included a very representative group of engines. There were, in all, forty-eight engines exhibited and of these thirty-two were French, seven were British, four were Italian and five were of Czechoslovakian manufacture. And, characteristic of the increasing popularity of the air-cooled stationary radial engine, there were no less than nineteen engines of this type among the exhibits. In alphabetical order, the individual exhibits will, hereafter, be briefly described, with, as far as possible, the most important features of each engine brought out. To *The Aeroplane* (*London*), AVIATION is indebted for much of the information hereinafter contained.

### Armstrong-Siddeley

The British firm of Armstrong-Siddeley Motors exhibited a complete range of air-cooled engines from the 60 hp. Genet to the 400 hp. Jaguar.

The cylinders of all Armstrong-Siddeley engines are of compound construction, with steel barrels, machined from the solid, screwed into aluminum heads and locked by a ring-nut which appears externally as a radiating fin. The cylinder bases are screwed into steel adapters pinned into the crankcase, and are locked into position by a split clamping ring.

Crankcases, of aluminum alloy, are open-ended castings carrying the cylinders in spigots, the tappet guides and a flange for the engine bearer. The crankcase rear cover carries the crankshaft rear bearing and has cast in it a short cylindrical induction chamber containing a fan. The front cover carries the crankshaft front journal bearing and the thrust bearing, and also the cam, gas starter and oil-pump drives.

The crankshaft is made in one piece, and counterbalanced by bronze balance weights, and is supported in roller bearings. A double-acting ball thrust race is also fitted.

Connecting rods consist of a combination of one master rod for each row of cylinders and a set of articulated auxiliary rods. The big ends have plain bearings and the articulating and gudgeon pins are all of the floating type. Pistons are "Y" alloy forgings each with two gas rings and scraper which number two in the Jaguar and Lynx and one in the Mongoose and Genet. Two valves are fitted to each cylinder head. These close on bronze seats pressed into the head castings when the heads are hot. The valves are operated by pushrods and rockers from a cam-pack concentric with the crankshaft and driven therefrom by an epicyclic train of gears.

### The Jaguar

In the Armstrong-Siddeley Jaguar engine of 385-400 hp., there are two staggered rows each of seven cylinders of 5 in. bore by 5½ in. stroke driving a two-throw crankshaft. Two fourteen-cylinder magnetos are carried from the rear crankcase cover. The compression ratio is 5/1, the normal output is 385 hp. at 1,700 r.p.m., and the maximum 425 hp. at 1,900 r.p.m. The weight complete is 770 lb., the fuel consumption .56 pints per hp. hr. Overall diameter of the engine is 44 in.

The Lynx (200 hp.) engine has one row of seven cylinders 5 in. bore by 5½ in stroke driving a single-throw crankshaft. The engine is thus half a Jaguar, having the same arrangement of magnetos (seven cylinder type). The compression ratio is 5/1, the normal output is 200 hp. at 1620 r.p.m. and the total weight 480 lb. The overall diameter is the same as that of the Jaguar.

The Mongoose (125 hp.) is a five-cylinder engine with cylinders of the same size as those of the Jaguar and Lynx. The general disposition and detail design follows that of the larger engines with one or two exceptions. The magnetos, for example, are at the front instead of at the back of the engine. A somewhat lighter type of piston is used, with only one instead of two scraper rings. The compression ratio is again 5/1, the normal output 125 hp. at 1,620 r.p.m., at which output seven gallons of fuel are used per hour together with 2½ pints of oil. The overall diameter is approximately the same as that of the Lynx.

In the Genet, a five-cylinder 60 hp. engine, the designers had in mind the production of a satisfactory engine for private ownership planes of low horsepower. In this engine, which made its first appearance at the British Lightplane Competition in 1926, there are five radially arranged cylinders of 4 in. bore and stroke, working at a compression ratio of 5.2/1. As with the Mongoose, magnetos are carried at the front of the engine. The normal output is 65 hp. at 1,850 r.p.m.; the maximum is 75 hp. The total weight is 168 lb. and the fuel and oil consumption .757 pints and .03 pints per hp. hr.

### Breitfeld Danek

The firm of Breitfeld Danek and Co. of Prague, Czechoslovakia, exhibited two water-cooled engines of the supercompressed type intended for work at high altitudes. The cylinders of each are of the same dimensions. The lower powered engine, the Perun II of 240 hp., has six vertical cylinders, each with a separate welded-on sheet steel jacket, tied together at the head by a cast aluminum camshaft casing. Each cylinder has two valves only, and is clamped into the crankcase by dogs between successive cylinders bearing on flanges on the barrel. Magnetos, oil pumps and water pumps are carried at the rear end of the crankcase. A carburetor, with a single-float chamber and three separate chokes is fitted. All three supply gas to a common inlet manifold, the central choke supplying a somewhat over-rich mixture, and the other two a decidedly weak mixture. The throttles are so interconnected that the one controlling the central choke opens first, and is nearly wide open before the other two come into play.

For operation at low altitudes the central choke and jet supplies the greater proportion of the gas, and the engine runs partially throttled on a rich mixture without fear of detonation occurring. As height is gained further movement of the throttle control opens the two weak mixture throttles, and the engine is supplied with an increasing volume of increasingly weakened mixture.

The Perun II has a bore and stroke of 160 mm. and 190 mm. respectively, a compression ratio of over 6/1 and normally develops 240 hp. at 1,400 r.p.m. The weight dry is 694 lb. and the fuel consumption 0.42 lb. per hp. hr.

The Breitfeld Danek B.D. 450 hp. engine is a twelve-cylinder, 60 deg. Vee, with separate steel cylinders and water jackets, having four valves per cylinder. Each line of cylinder blocks is united at the head by a cast aluminum camshaft casing, which completely encloses the overhead valve gear.

Magnetos, oil pumps and water pumps are at the rear end of the crankshaft, and carburetors are fitted between cylinders. They appear to differ in form and arrangement from the carburetor fitted to the Perun II, but apparently work on the same principle, and the engine has the same high-altitude characteristics.

### Bristol Engines

The Bristol Aeroplane Co., of England, exhibited the Jupiter, Lucifer, and Cherub engines, all of the radial air-cooled type. The Jupiter VI is a nine-cylinder, air-cooled radial engine nominally of 450 hp. actually built in three different models. The first is the high-altitude type with a 6.3 compression ratio, which cannot be opened out to full throttle at less than 5,000 ft. This engine develops 425 hp. at 1,700 r.p.m. and 465 hp. at 1,870 r.p.m. up to an altitude of 5,000 ft.

The second type—the standard military type—has a compression ratio of 5.3/1. It develops 450 hp. at 1,700 r.p.m.

and 485 hp. at 1,870 r.p.m. The third type is the commercial type with a compression ratio of 5/1, giving 420 hp. at 1,700 r.p.m. and 460 hp. at 1,800 r.p.m.

The master connecting rod and the big end are machined in one piece from a forging. Cylinders are of steel machined from a forging and have closed heads in which the valve seats are formed. To these aluminum alloy castings in which are formed the valve ports are very carefully fitted. There are four valves per cylinder.

Valves are push-rod operated from a cam-pack, concentric with the crankshaft and driven therefrom by epicyclic gearing. Magnetos, oil pumps, gas-starter distributor, rev.-counter drive and gun-synchronising gears are driven from the rear end of the crankshaft.

A special feature of the Jupiter engine is the induction system. In the rear half of the crankcase there is an annular chamber into which is inserted an aluminum alloy ring whose section is everywhere a three-legged star. This divides the aforesaid annular space into three channels. This ring is twisted, so that each of the three channels revolve three revolutions in the circumference of the ring. Nine equally-spaced induction pipes are led out of the annular chamber and it will be seen, therefore, that each channel in the twisted ring mates with three equally-spaced induction pipes, and the whole arrangement really forms a set of three induction manifolds each serving three cylinders.

The Jupiter has a split crankcase built up from a duralumin forging. The crankshaft is built up from two nickel-chrome steel forgings. The crankpin, front crank web and propeller shaft are in one piece, the other piece comprising the rear crank web and the rear journal. The Jupiter VI has cylinders of 5¾ in. bore and 7½ in. stroke. The weight of the complete engine is 730 lb.

The Bristol Lucifer Series IV is a three-cylinder air-cooled engine normally of 120 hp. The cylinders are of the same bore as those of the Jupiter but have a stroke of only 6¼ in. The general design of the cylinders is similar to that of Jupiter cylinders. Four valves per cylinder are fitted. The crankcase is an aluminum casting of barrel form with a circular mounting flange at the after end. The crankshaft is in one piece, and is carried on roller bearings; it is fitted with a split big end attached to the master connecting rod, and with two auxiliary rods articulated to it.

The valve gear is generally similar to that of the Jupiter.

The Lucifer develops 130 hp. at 1,700 r.p.m. with a maximum of 140 hp. at 1,870 r.p.m. At normal output the fuel and oil consumption are, respectively, .54 pints and .33 pints per hp. hr. The weight complete is 330 lb.

The Cherub III is of the two-cylinder horizontally-opposed air-cooled type, with a bore and stroke of 90 mm. x 96 mm., with a compression ratio of 5.5/1, developing normally 32 hp. at 2,900 r.p.m., with a maximum output of 36 hp. at 3,200 r.p.m. The weight complete is 100 lb., and at normal r.p.m., 2 gal. of fuel and 1 pint of oil are consumed per hr.



*The twelve-cylinder broad-arrow Farman 500 hp. engine*

The cylinders have steel barrels, with aluminum alloy heads bolted on. Two valves are set in each head, arranged radially to the cylinder bore, and bed on alloy steel seats screwed into the head.

### Caffort

The French firm of Caffort showed a very novel form of twelve-cylinder water-cooled engine in which the cylinders were arranged in two banks of six each horizontally opposed, so that the engine is very flat and lends itself to installation in the wings of airplanes in which the leading edge is thick enough. The crankshaft is of the normal six-throw type with pins spaced 120 deg. apart, built up in three pieces. Connecting rods on one cylinder block are of the normal type with split big ends. On the other block, the big ends are bifurcated and embrace the big ends of the opposite block.

Four valves per cylinder are fitted. These are operated by two overhead camshafts—one for inlet and one for exhaust valves—to each block.

The Caffort engine has cylinders 145 mm. and 150 mm., a compression of 5.3/1 and develops 500 hp. at 2,000 r.p.m. of the crankshaft for a dry weight of 1,320 lb. It is fitted with a reduction gear having a ratio of 1.88/1.

The sample engine exhibited had only been given preliminary tests during which an output of 510 hp. was obtained. It is expected that this will be increased later.

### The Farman Engines

The well-known Farman company of France exhibited two water-cooled engines of the broad arrow type, one of which



*Two views on the 700 hp. Farman engine*



*The 12-cyl. horizontally opposed Caffort engine of 500 hp. This is something entirely new in engines and presents interesting possibilities for airplanes in which engines of this type might be placed in the section of the wing.*

was the twelve-cylinder 500 hp. engine and the other the eighteen-cylinder 700 hp. engine. The former engine is that which was employed in the Breguet XIX in the notable long distance flight of 30 hr. duration from Paris to Bandar Abbas a distance of 3,200 miles, and which has a number of other World duration records to its credit. This engine, the Farman 12w.E. has three rows of four cylinders set at an angle between rows of 60 deg. Cylinders are of steel in pairs with a common sheet-steel jacket to each pair. Valves are overhead and push-rod operated from two camshafts one lying between each pair of cylinders. The rocker gear is enclosed in cast aluminum cases, one to each pair of cylinders. All auxiliary drives are at the front end of the engine.

Two magnetos are driven from a cross-shaft above the crankshaft at the front end of the crankcase.

The 500 hp. Farman has cylinders 130 mm. bore 160 mm. stroke, a normal compression ratio of 5.5/1, normal and maximum outputs of 500 hp. at 2,150 r.p.m. and 560 hp. at 2,200 r.p.m. The direct-drive engine weighs 1,035 lb., the geared type 1,150 lb. Fuel and oil consumption are said to be .5 lb. and .02 lb. per hp. hr.

The engine is arranged such that either a direct propeller drive is employed or a reduction gear of either 2/1 or 1.35/1 may be employed. The Farman company showed on its stand a partially stripped engine of this type which had done 300 hr. without overhaul. Cylinders, valve seats and piston rings were in excellent condition and there was very slight play in the big ends and none in the little ends.

The 700 hp. Farman is of similar design to the 12-cylinder type, but has three blocks of two cylinders in each row, making 18 cylinders in all. The angle between rows is 40 deg., and the stroke of each cylinder is increased to 180 mm., the bore remaining 130 mm.

## Fiat Engines

The Italian Fiat company exhibited three twelve-cylinder 60 deg. engines of very similar design known, respectively, as the A.20 (440 hp.), the A.22 (500 hp.), and the A.25 of 900 hp. In these engines each cylinder has a separate steel jacket and is fitted with four valves. There are two overhead camshafts for each line of cylinders, one operating exhaust and one inlet valves. The valve gear is entirely enclosed in a camcase which serves to tie each line of cylinders into a block.

The types A.20 and A.22 have one master and one articulated rod on each crankpin. In the A.25 one normal and one forked rod is used per crank. Carburetors are of the Stromberg type, fitted between cylinders. Two are used in the A.20 and A.22, and three in the A.25.

Two magnetos and two plugs per cylinder are fitted in the two smaller engines, and four magnetos and four plugs in the larger. The A.20 has cylinders 115 mm. x 150 mm., a compression of 5.6/1 and develops 410 hp. normal, 455 hp. maximum at 2,400 r.p.m. It weighs 760 lb. with water in jackets.

The A.22 has cylinders 135 mm. x 160 mm., a compression of 5.5/1 and develops 550 hp. normal, 590 hp. maximum at 2,100 r.p.m. It weighs 1,010 lb. with water in jackets.

The A.25 has cylinders 170 mm. x 200 mm., a compression of 5.1/1 and develops 900 hp. normal, 990 hp. maximum at 2,000 r.p.m. The weight with water in the jacket is 1,860 lb.





*AIR-COOLED LORRAINES. On the left, the Lorraine-Dietrich 42 fourteen cylinder air-cooled radial 450 hp. which is said to be very similar to the Armstrong-Siddeley Jaguar 385-400 hp. The rear side of the engine is seen. On the right, the Lorraine-Dietrich seven cylinder 200 hp. air-cooled radial, viewed from the front.*

The Gnome et Rhone Company of France which manufactures the French Jupiter engine, exhibited two of the new French Jupiter VI engines, one having a reduction gear, and the other or the direct drive type. The overall diameter of the Gnome Rhone Jupiter has been reduced from 56 in. to 52.3 in. The French engine differs from the British original only in minor respects. For example, the forged duralumin crankcase of the British Bristol engine is not used by the Gnome Rhone people, a normal cast case being employed. Whether or not the two-piece crankshaft and the solid big end are used is not certain but it is believed to be the case. The French Jupiter is slightly heavier than the British one and develops normally 480 hp. according to claims.

### Hispano-Suiza

The Hispano-Suiza exhibit included five types of engines, the early eight-cylinder Vee 150 hp. and 300 hp. engines, the twelve-cylinder broad-arrow of 450 hp. which holds the World speed record and the twelve-cylinder 300 hp. and 500 hp. types. The original characteristics of the Hispano engines remain in these examples. Each row of cylinders is an aluminum block into which steel liners are screwed when the material is hot. Each cylinder has two valves operated by one camshaft for each block. The general details of all these engines are summarized below:

150 hp., 8-cylinder Vee, 120 mm. bore 130 mm. stroke. Normal output 150 hp. at 1,500 r.p.m., max. output 170 hp. at 1,700 r.p.m. Weight dry, 453 lb.

300 hp., 8-cylinder Vee, 140 mm. bore 150 mm. stroke, 5.3/1 compression. Normal output 300 hp.

Type 50, 12-cylinder broad-arrow, 140 mm. bore 150 mm. stroke, 5.3/1 compression. Normal output 450 hp. 1,720 r.p.m. Maximum output 487 hp. 1,800 r.p.m. Weight dry 826 lb.

Type 51, 12-cylinder 60 deg. Vee. Bore 140 mm. stroke 150 mm., 5.3/1 compression. Normal output 500 hp. 1,800 r.p.m.

### Isotta Fraschini

Apart from several vertical six-cylinder engines of old type, the Italian Isotta Fraschini Company showed the new 500 hp. Asso engine. This is a clean Vee type engine of twelve-cylinders set at 60 deg., having separate jacketed steel cylinders, each row tied together by an aluminum head and camcase casting. The engine has cylinders of 140 mm. bore and 150 mm. stroke. The compression ratio is 5.5/1 and the normal output 500 hp. at 1,800 r.p.m. The dry weight is 926 lb.

### Lorraine-Dietrich

The Lorraine-Dietrich Company showed seven different and modern engines four of which are of the broad-arrow type, two air-cooled radials and one a 60 deg. Vee type. In the first type there was the now well-known 450 hp. twelve-cylinder engine shown both with and without reduction gear. The reduction gear is a 1.54/1 epicyclic gear. In addition, there were shown the 650 hp. eight-cylinder engines with and without reduction gear. Apparently this engine is produced by adding two cylinders to each row of the 450 hp. type. These engines have steel cylinders with welded-on steel jackets in pairs. The cylinders are 120 mm. bore and 180 mm. stroke for all engines. In the two 450 hp. engines the compression is 5.5/1 and the normal output 450 hp. at 1,900 r.p.m. The weight is 816 lb. for the ungeared and 915 lb. for the geared engine.



*An interesting photograph of the Lorraine-Dietrich reduction gear employed on many of their engines. A close inspection of the picture will reveal the radial gears.*

In the 650 hp. type the compression is 6/1, the normal output 650 hp. at 1,850 r.p.m., and the weight 1,232 lb. for the direct-drive engine. The weight of the geared model is not stated. The geared and ungeared types differ in carburetor arrangements. In the 700 hp. Vee engine, the same cylinder arrangement in pairs is to be found. The cylinders of this engine are, however, very much larger than those of the engines just discussed. The bore and stroke are 175 mm. and 225 mm. respectively, and the rated power is developed at 1,200 r.p.m. The weight is 1,870 lb.

The Show marked the entrance of the Lorraine-Dietrich firm into the field of the air-cooled radial engine by the exhibition of two engines of this type. These engines are in many respects very similar to the British Armstrong-Siddeley Jaguar and Lynx radials. The larger engine is a two row staggered fourteen-cylinder engine of 450 hp. and the smaller a seven-cylinder 200 hp. engine. The cylinders have a bore and stroke of 135 mm. and 150 mm., respectively. The larger engine develops 450 hp. at 1,800 r.p.m. and weighs 880 lb., while the seven-cylinder engine develops 220 hp. at 1,800 r.p.m. and weighs 573 lb.

### Panhard and Levassor

The Panhard and Levassor Company of France exhibited two 1924 engines of the Vee type. One of them was of the poppet-valve type and was super-compressed so that it has to be run throttled at low altitudes, while the second was



*The eighteen-cylinder broad-arrow 650 hp. Lorraine-Dietrich*



*The Lorraine-Dietrich 12-cyl. Vee 700 hp. engine*



*The little three cylinder Salmson AD.3, 12 hp. engine*

fitted with Knight sleeve-valves and represented an interesting example of the saving in frontal area by the elimination of the overhead valve gear. The former engine, known as the V12M develops 500 hp. at 1,550 r.p.m. and maintains this output up to 3,000 meters. It has cylinders 165 mm. bore by 170 mm. stroke and weighs dry 1,295 lb. The Knight valve engine, known as the V.K.122, develops 450 hp.

### Renault

The Renault company is World-known as an engine manufacturer. Along the exhibits of this firm at the Paris Show was the first prize winner in the French 1925 engine competition during which thirty non-stop runs of eight hours each were required. The engine is a twelve-cylinder Vee of the



*The Salmson AC. 9, 120 hp. engine*

same bore and stroke as the 480 hp. engine rated down to 420 hp. at the same r.p.m. The modern Renault engines are of the twelve-cylinder 60 deg. Vee type with steel cylinders and separate sheet steel jackets. The cylinders are tied together at the heads by a valve casing which carries the overhead camshaft. The 480 hp. Renault has cylinders of 134 mm. bore and 180 mm. stroke and a compression ratio of 5.3/1. It develops 480 hp. at 1,600 r.p.m. and weighs 1,015 lb. dry. The 550 hp. model is the same engine equipped with a spur reduction gear and rated at 550 hp. at 2,000 r.p.m. The engine weighs dry 1,090 lb. Renault also showed a 700 hp. engine which is produced both in geared and direct drive form like the others. The bore is 160 mm., the stroke, 180 mm. and the weight ungeared 1,375 lb. and geared 1,485 lb. The engine develops 700 hp. at 1,700 r.p.m.



*The Salmson AB.9, 230 hp. engine*



*The Salmson CM. 9, 260 hp. engine*



*The Salmson CM. 18, 500 hp. engine*

The Salmson has long been well-known for its radial engines both of the air-cooled and of the water-cooled type. These types differ practically only in regard to the cylinders, the air-cooled types having cast steel cylinders with fins while the water-cooled engines have cast steel cylinders with welded-on jackets. The most interesting engine exhibited was the eighteen-cylinder type which is produced both air and water-cooled. It is a double row engine not staggered and the cylinders are cast in pairs, each pair, when water-cooled having a common water jacket.

Three low powered engines, all air-cooled, were exhibited, ranging from the little nine-cylinder 40 hp. A.D.9 to the 125 hp. nine-cylinder A.B.9. In the higher powers there were four engines all having the same sized cylinder. Two were single row nine-cylinder types and then the two eighteen-cylinder engines. One of each of these is air-cooled and the others are water-cooled. The chief details of these engines are:

A.D.9, nine cylinders, 70 mm. bore 86 mm. stroke, air-cooled, 40 hp. at 2,000 r.p.m. Weight 165 lb.

A.C.7, seven cylinders, 100 mm. bore 130 mm. stroke, air-cooled, 95 hp. at 1,800 r.p.m. Weight 287 lb.

A.C.9, nine cylinders, 100 mm. bore 130 mm. stroke, air-cooled, 120 hp. at 1,800 r.p.m. Weight 374 lb.

A.B.9, nine cylinders, 125 mm. bore 170 mm. stroke, air-cooled, 230 hp. 1,700 r.p.m. Weight 528 lb.

C.M.9, nine cylinders, 125 mm. bore 170 mm. stroke, water-cooled, 266 hp. 1,650 r.p.m. Weight 550 lb.

A.B.18, eighteen cylinders, 125 mm. bore 170 mm. stroke, air-cooled, 460 hp. 1,700 r.p.m. Weight 1,080 lb.

C.M.18, eighteen cylinders, 125 mm. bore 170 mm. stroke, water-cooled, 500 hp. Weight 1,012 lb.



*The Salmson A.B.18, eighteen-cylinder air-cooled engine developing 460 hp., the novelty of which is the absence of the usual stagger of the rear row of cylinders. The cylinders are connected in tandem pairs through the fins and in this way, the manufacturers claim adequate cooling of the rear cylinders.*

## Sauda

The Sauda Cappa 18 engine, one of which was exhibited at the Show, is a twelve-cylinder water-cooled Vee engine with the cylinders and crankcase of one monobloc casting of aluminum alloy, and it is presumed that steel sleeves are fitted into the cylinder bores. The entire engine is extremely clean in appearance. A reduction gear of 1.4/1 is built into the engine. The cylinder bore is 120 mm. and stroke 135 mm. The normal output is 400 hp. at 1,600 r.p.m. and the weight is 836 lb.



*The seven-cylinder 85 hp. Walter Air-cooled radial*

## Walter Air-Cooled Engines

The Czechoslovakian Walter air-cooled radial engines have demonstrated themselves to be extremely reliable power plants. Three engines were exhibited, namely the 60 hp., 85 hp. and 110 hp. types, all of which are identical in detail, differing only in the number of the identical cylinders each engine possesses. The cylinders are of steel with cast-on aluminum fins and a cast iron head bolted on. Two overhead valves per cylinder are operated by pushrods in the normal manner. The carburetor and twin Scintilla magnetos are fitted to the rear of the crankcase. The general details are as follows:

Bore 105 mm. stroke 120 mm. Five-cylinder type, normal output 60 hp. at 1,400 r.p.m., maximum 70 hp. at 1,700 r.p.m. Weight 224 lb. Seven-cylinder type, normal output 85 hp. 1,400 r.p.m., maximum 90 hp. at 1,460 r.p.m. Weight 275 lb. Nine-cylinder type, normal output 110 hp. at 1,450 r.p.m., maximum 120 hp. at 1,600. Weight 335 lb.

All three engines are said to consume .52 lb. of fuel per hp. hr.





*Two more Walter air-cooled engines. On the left, the 110 hp. unit and, right, the popular little 60 hp. Walter engine*

## Pan-American Flight Progress

Major Herbert A. Dargue, commander of the Pan-American Flight, arrived at Salina Cruz, Mexico, Jan. 2, accompanied by his fellow fliers. They were welcomed at the field by President Chacon and cabinet officials, and later given a reception at the presidential palace. Major Dargue presented President Chacon with a letter of greeting from President Coolidge.

A few minutes past 10 a.m., Jan. 4, the fliers took off from Aurora Flying Field, for the hop to San Salvador. The St. Louis led the other planes in the flight, but a few minutes after the New York had taken off, it developed gear trouble and the pilot was forced to land a third of a mile South of the field.

For awhile it was thought that the flight would be delayed until the New York was repaired or a reserve plane could be sent from San Antonio, but on Jan. 6 word was received from the War Department that the four planes should continue the trip, on the ground that the "ultimate success of the flight must not be jeopardized by an attempt to get all five planes through together."

The New York, which, in addition to crippled landing gear, also has a damaged hull, will take the water route to Panama, taking three days to complete the trip. The balance of the planes will proceed to Panama by way of the Central American countries. This latter course will require twenty days.

The reserve plane at Duncan Field has been shipped by way of New Orleans, to the Canal Zone, and if the New York cannot be repaired in time to accompany the other planes on the flight to Chile, the reserve plane will take its place.

## Pal-Waukee Airport at Mount Prospect, Ill.

We wish to direct the attention of our readers to the correct address of the Pal-Waukee Airport & Service Station. This airport is located at Mount Prospect, Ill. Through a typographical error in an advertisement, the wrong address was given.

The Pal-Waukee Airport & Service Station are distributors of Swallow airplanes and maintain a modern and fully equipped field. The field, which is four-way, 2200 x 1200 ft., is located on Milwaukee Ave. at Palatine Road, twenty miles Northwest of the Chicago loop and five miles North of Des Plaines, Ill.

## Air Mail Service Closes Year of Records

Statistics on file at the Post Office Department show that on Dec. 16, 1926, the Eastbound trans-continental planes broke three speed records between Chicago and New York. Pilot Jack Milatzo on this date flew from Chicago to Cleveland, 327 miles, in 1 hr., 59 min., or at the rate of 164.8 m.p.h. The best previous time was 2 hr., 2 min.

Pilot Harry Chandler flew from Cleveland to New York, 299 miles, in 2 hr., 21 min., or at the rate of 169.7 m.p.h. The best previous time was 2 hr., 30 min.

The flying time on this same date from Chicago to New York was 4 hr., 20 min., or at the rate of 167.3 m.p.h. The best previous time for this trip was 4 hr., 35 min.

The comparative speed records made during December, 1926, and December, 1925, between different air mail stations are as follows: New York to Cleveland, 1926, 2 hr., 21 min.; 1925, 2 hr., 52 min.; Cleveland to Chicago, 1926, 1 hr., 59 min.; 1925, 2 hr., .07 min.; Chicago to Omaha, 1926, 2 hr., 50 min.; 1925, 3 hr., .04 min.; Omaha to Cheyenne, 1926, 3 hr., 20 min.; 1925, 3 hr., 20 min.; Cheyenne to Salt Lake City, 1926, 2 hr., 40 min.; 1925, 3 hr., .02 min.; Salt Lake City to Reno, 1926, 3 hr., 27 min.; 1925, 3 hr., 47 min.; Reno to San Francisco, 1926, 1 hr., 36 min.; 1925, 1 hr., 28 min. Changeable winds affected the time on this route.

## Navy Training Plane Designs Submitted

Designs have been submitted by fourteen aircraft designers and contractors to the Training Plane Competition Board appointed by the Secretary of the Navy to consider designs for the purpose of selecting for the navy a standard training plane. The time for submitting designs closed at midnight Dec. 21, and the Bureau of Supplies and Accounts has inspected the plans entered and turned them over to the Board for its consideration. The following companies submitted bids and designs for Navy training planes:

Curtiss Aeroplane and Motor Co.,
Thomas Morse Aircraft Corp.,
Aerial Service Corp.,
Kentucky Aircraft Corp.,
Boeing Airplane Co.
Consolidated Aircraft Corp.,
Sikorsky Manufacturing Corp.,
G. Elias and Bros.,
Huff Daland Airplanes,
Buhl Verville Aircraft Co.,
Glenn L. Martin Co.,
Eberhart Aeroplane and Motor Co.,
Charles Ward Hall,
Douglas Airplane Co.

# Engines at the Paris Aero Show

| Maker's Name. | Designation. | Type. | Cooling | No. of Cylinders | Bore | Stroke | Compression | Normal Output | Maximum Output | Weight | Weight per hp. | Fuel per hp. hour | Oil per hp. hour | Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | m/m | m/m | | | 425 hp. | | | | | |
| Armstrong Siddeley | Jaguar 385/400 hp | Radial | A | 14 | 127 | 140 | 5/1 | 385 hp. 1700 r.p.m. | 1900 r.p.m. | 770 lb. 348 kg. | 1.8 lb. 0.82 kg. | .53 lb. 240 gr. | .031 lb. 14 gr. | — |
| Armstrong Siddeley | Lynx 200 hp | Radial | A | 7 | 127 | 140 | 5/1 | 180 hp. 1620 r.p.m. | 210 hp. 1800 r.p.m. | 480 lb. 218 kg. | 2.28 lb. 1.04 kg. | .53 lb. 240 gr. | .031 lb. 14 gr. | — |
| Armstrong Siddeley | Mongoose 125 hp. | Radial | A | 5 | 127 | 140 | 5/1 | 125 hp. 1620 r.p.m. | 150 hp. 1770 r.p.m. | 340 lb. 154 kg. | 2.26 lb. 1.03 kg. | — | — | — |
| Armstrong Siddeley | Genet 60 hp. | Radial | A | 5 | 101.6 | 101.6 | 5.2/1 | 65 hp. 1820 r.p.m. | 75 hp. | 168 lb. 76 kg. | 2.24 lb. 1.02 kg. | .55 lb. 250 gr. | .03 lb. 14 gr. | — |
| Breitfeld-Danek | B.D. 500 hp. | 60° Vee | W | 12 | 160 | 190 | — | 450 hp. 1400 r.p.m. | — | 1100 lb. 550 kg. | 2.45 lb. 1.22 kg. | .43 lb. 195 gr. | — | Super-compression altitude engine |
| Breitfeld-Danek | Perun II | Vertical | W | 6 | 160 | 190 | — | 240 hp. 1400 r.p.m. | — | 696 lb. 315 kg. | 2.9 lb. 1.31 kg. | .42 lb. 190 gr. | .026 lb. 12 gr. | Super-compression altitude engine |
| Bristol | Jupiter VI 450 hp. | Radial | A | 9 | 146 | 190 | 5.3/1 | 450 hp. 1700 r.p.m. | 485 hp. 1870 r.p.m. | 730 lb. 331 kg. | 1.5 lb. .68 kg. | .52 lb. 235 gr. | .03 lb. 14 gr. | — |
| Bristol | Lucifer IV 125 hp. | Radial | A | 3 | 146 | 159 | 5.3/1 | 130 hp. 1700 r.p.m. | 140 hp. 1870 r.p.m. | 330 lb. 150 kg. | 2.36 lb. 1.07 kg. | .54 lb. 242 gr. | .037 lb. 17 gr. | — |
| Bristol | Cherub III 32 hp. | Horizontal Opposed | A | 2 | 90 | 96.5 | 5.5/1 | 32 hp. 2900 r.p.m. | 36 hp. 3200 r.p.m. | 100 lb. 45.4 kg. | 2.78 lb. 1.25 kg. | .55 lb. 250 gr. | .034 lb. 16 gr. | — |
| Caffort | — | Horizontal Opposed | W | 12 | 145 | 150 | 5.3/1 | 500 hp. 2000 r.p.m. | — | 1320 lb. 600 kg. | 2.64 lb. 1.2 kg. | .55 lb. 250 gr. | .044 lb. 20 gr. | 1.88 1 reduction gear |
| Farman | 12 wE. 500 hp. | Broad Arrow | W | 12 | 130 | 160 | — | 500 hp. 2150 r.p.m. | 560 hp. 2200 r.p.m. | 1150 lb. 525 kg. | 2.05 lb. .94 kg. | .50 lb. 225 gr. | — | Reduction gear Duration record Type |
| Farman | 18 wD. 700 hp. | Broad Arrow | W | 18 | 130 | 180 | — | 700 hp. 1850 r.p.m. | 820 hp. 2100 r.p.m. | 1720 lb. 780 kg. | 2.1 lb. .96 kg. | .50 lb. 225 gr. | — | Reduction gear of various ratios available |
| Fiat | A.20 400 hp. | 60° Vee | W | 12 | 115 | 150 | 5.6/1 | 410 hp. | 455 hp. 2400 r.p.m. | 760 lb. 345 kg. | 1.67 lb. 0.76 kg. | — | — | — |
| Fiat | A.22 550 hp. | 60° Vee | W | 12 | 155 | 160 | 5.5/1 | 550 hp. | 590 hp. 2100 r.p.m. | 1015 lb. 460 kg. | 1.72 lb. 0.78 kg. | — | — | — |
| Fiat | A.25 900 hp. | 60° Vee | W | 12 | 170 | 200 | 5.1/1 | 900 hp. | 980 hp. 2000 r.p.m. | 1860 lb. 845 kg. | 1.9 lb. 0.86 kg. | — | — | — |
| Gnome Rhone | Jupiter VI | Radial | A | 9 | 146 | 190 | — | — | 480 hp. 2000 r.p.m. | 750 lb. 340 kg. | 1.56 lb. .71 kg. | .55 lb. 225 gr. | .046 lb. 21 gr. | — |
| Gnome Rhone | Jupiter VI | Radial | A | 9 | 146 | 190 | — | — | — | — | — | — | — | 2/1 reduction gear |
| Hispano-Suiza | 150 hp. | 90° Vee | W | 8 | 120 | 130 | — | 150 hp. 1500 r.p.m. | 170 hp. 1700 r.p.m. | 453 lb. 206 kg. | 2.66 lb. 1.21 kg. | — | — | — |
| Hispano-Suiza | 300 hp. | 90° Vee | W | 8 | 140 | 150 | 5.3/1 | 300 hp. | — | — | — | — | — | — |
| Hispano-Suiza | 50 | Broad Arrow | W | 12 | 140 | 150 | 5.3/1 | 450 hp. 1725 r.p.m. | 487 hp. 1800 r.p.m. | 826 lb. 375 kg. | 1.74 lb. .77 kg. | — | — | Speed Record Type |
| Hispano-Suiza | 51 | 60° Vee | W | 12 | 140 | 150 | 5.3/1 | 500 hp. 1800 r.p.m. | 520 hp. 1900 r.p.m. | 926 lb. 420 kg. | 1.78 lb. .81 kg. | — | — | Distance Record Type |
| Hispano-Suiza | 52 | 60° Vee | W | 12 | 120 | 140 | 5.3/1 | 350 hp. 1750 r.p.m. | 412 hp. 2000 r.p.m. | 672 lb. 305 kg. | 1.63 lb. .74 kg. | — | — | — |
| Isotta Fraschini | Asso | 60° Vee | W | 12 | 140 | 150 | 5.3/1 | 500 hp. 1800 r.p.m. | 550 hp. | 926 lb. 420 kg. | 1.68 lb. .76 kg. | — | — | — |
| Lorraine Dietrich | 450 hp. | Broad Arrow | W | 12 | 120 | 180 | 5.5/1 | 450 hp. 1900 r.p.m. | — | 816 lb. 380 kg. | 1.81 lb. .85 kg. | .52 lb.? 235 gr. | — | Altitude Record Type |
| Lorraine Dietrich | 450 hp. | Broad Arrow | W | 12 | 120 | 180 | 5.5/1 | 450 hp. 1900 r.p.m. | — | 915 lb. 415 kg. | 2.02 lb. .92 kg. | — | — | 1.54/1 epicylic reduction gear |
| Lorraine Dietrich | 650 hp. | Broad Arrow | W | 18 | 120 | 180 | 6/1 | 650 hp. 1850 r.p.m. | 700 hp. 1900 r.p.m. | 1232 lb. 560 kg. | 1.76 lb. .8 kg. | — | — | — |
| Lorraine Dietrich | 650 hp. | Broad Arrow | W | 18 | 120 | 180 | — | — | — | — | — | — | — | 1.54/1 epicylic reduction gear |
| Lorraine Dietrich | No. 34 700 hp. | 60° Vee | W | 12 | 175 | 225 | — | 700 hp. 1200 r.p.m. | — | 1870 lb. 820 kg. | 2.68 lb. 1.21 kg. | .53 lb. 240 gr. | .044 lb. 22 gr. | — |
| Lorraine Dietrich | No. 42 450 hp. | Radial | A | 14 | 135 | 150 | — | — | 450 hp. 1800 r.p.m. | 880 lb. 400 kg. | 1.96 lb. .89 kg. | — | — | — |
| Lorraine Dietrich | No. 47 220 hp. | Radial | A | 7 | 135 | 150 | — | 200 hp. 1650 r.p.m. | 220 hp. 1800 r.p.m. | 573 lb. 260 kg. | 2.6 lb. .85 kg. | — | — | — |
| Panhard & Levassor | V.K. 122 450 hp. | 60° Vee | W | 12 | 140 | 170 | 5.4/1 | 450 hp. 1500 r.p.m. | 525 hp. 1800 r.p.m. | 1200 lb. 545 kg. | 2.29 lb. 1.04 kg. | — | — | Knight sleeve valves |
| Panhard & Levassor | V12M 500 hp. | 60° Vee | W | 12 | 165 | 170 | 6/1 | 500 hp. 1550 r.p.m. | — | 1295 lb. 590 kg. | 2.6 lb. 1.18 kg. | — | — | Super-compressed high altitude type |
| Renault | 420 hp. | 60° Vee | W | 12 | 134 | 180 | — | 420 hp. 1550 r.p.m. | — | — | — | — | — | 1st prize, Concours de Grande Endurance 1925 |
| Renault | 480 hp. | 60° Vee | W | 12 | 134 | 180 | 5.3/1 | 480 hp. 1600 r.p.m. | 520 hp. 1650 r.p.m. | 1015 lb. 460 kg. | 1.95 lb. .89 kg. | — | — | — |
| Renault | 550 | 60° Vee | W | 12 | 134 | 180 | — | 550 hp. 1800 r.p.m. | 600 hp. 2000 r.p.m. | 1090 lb. 495 kg. | 1.81 lb. .82 kg. | — | — | Spur reduction gear |
| Renault | 700 | 60° Vee | W | 12 | 160 | 180 | 5.3/1 | — | 700 hp. 1700 r.p.m. | 1375 lb. 625 kg. | 1.96 lb. .89 kg. | — | — | — |
| Renault | 700 | 60° Vee | W | 12 | 160 | 180 | — | — | 700 hp. 1700 r.p.m. | 1485 lb. 675 kg. | 2.12 lb. .95 kg. | — | — | Spur reduction gear |
| Salmson | A.D. 9 | Radial | A | 9 | 70 | 86 | — | 40 hp. 2000 r.p.m. | — | 165 lb. 75 kg. | 4.12 lb. 1.88 kg. | — | — | — |
| Salmson | A.C. 7 | Radial | A | 7 | 100 | 130 | — | 95 hp. 1800 r.p.m. | — | 287 lb. 130 kg. | 3.02 lb. 1.37 kg. | — | — | — |
| Salmson | A.C. 9 | Radial | A | 9 | 100 | 130 | — | 120 hp. 1800 r.p.m. | — | 374 lb. 170 kg. | 3.12 lb. 1.41 kg. | — | — | — |
| Salmson | A.B. 9 | Radial | A | 9 | 125 | 170 | — | 230 hp. 1700 r.p.m. | — | 528 lb. 240 kg. | 2.29 lb. 1.04 kg. | — | — | — |
| Salmson | A.B. 18 | Radial | A | 18 | 125 | 170 | — | 460 hp. 1700 r.p.m. | — | 1080 lb. 490 kg. | 2.35 lb. .94 kg. | — | — | — |
| Salmson | C.M. 9 | Radial | W | 9 | 125 | 170 | — | 260 hp. 1650 r.p.m. | — | 550 lb. 250 kg. | 2.1 lb. .96 kg. | — | — | — |
| Salmson | C.M. 18 | Radial | W | 18 | 125 | 170 | — | 500 hp. 1650 r.p.m. | — | 1012 lb. 460 kg. | 2.02 lb. .92 kg. | — | — | — |
| Sauda | Cappa 18 | 60° Vee | W | 12 | 120 | 135 | — | 400 hp. 1600 r.p.m. | — | 836 lb. 380 kg. | 2.09 lb. .95 kg. | — | — | 1.4/1 reduction gear |
| Walter | 60 hp. | Radial | A | 5 | 105 | 120 | — | 60 hp. 1400 r.p.m. | 70 hp. 1600 r.p.m. | 224 lb. 102 kg. | 3.2 lb. 1.45 kg. | .52 lb. 235 gr. | .035 lb. 16 gr. | — |
| Walter | 85 hp. | Radial | A | 7 | 105 | 120 | — | 85 hp. 1400 r.p.m. | 90 hp. 1460 r.p.m. | 275 lb. 125 kg. | 3.05 lb. 1.39 kg. | .52 lb. 235 gr. | .035 lb. 16 gr. | — |
| Walter | 110 hp. | Radial | A | 9 | 105 | 120 | — | 110 hp. 1450 r.p.m. | 120 hp. 1600 r.p.m. | 335 lb. 152 kg. | 2.79 lb. 1.25 kg. | .52 lb. 235 gr. | .035 lb. 16 gr. | — |

NOTE.—Weights do not include Oil and Water. Weight per hp. based on maximum hp. where that figure is given.
Fuel per hp. where given by makers in terms of volume has been transformed to a weight basis assuming S.G. of fuel to be 0.76.

# Duralumin Welding

## *The Possibilities and Methods of Gas Welding of Duralumin*

By LIEUT. COMDR. WM. NELSON, (CC), U.S.N.

THE METHODS of joining metallic materials available to the aircraft builder are either mechanical or thermal in nature. The thermal means embrace forge welding, gas welding, electric welding, soldering and brazing. All of these involve the partial or complete melting of metals similar to or different from the parts being joined. Forge welding and electric resistance welding do not require the use of any welding rod; whereas, all the others depend in whole or in part on the addition of a fused rod.

It is natural that all methods of joining steels have been tried on aluminum and its alloys. Unfortunately, the high thermal conductivity of aluminum and the presence of the oxide film on this metal has precluded the adoption of most of the thermal means of uniting. Welding aluminum alloys by forging appears to be so impracticable that it is doubtful if that means will ever be used. The oxide film which forms on aluminum alloys is so difficult to eradicate that forge welding remains in search of a method. Gas welding is the most successful of all of the melting processes and is covered in detail below. Electric welding of aluminum and duralumin is possible but considerable investigation must be done before this means can be considered to be of use outside of the laboratory. Soldering of this metal has been worked on in laboratories from time to time but that too is still of too experimental a nature to be used in any production job. Brazing duralumin has not had sufficient demand to make any extensive experiments advisable.

In a broad sense if welding were completely satisfactory it could be used to advantage in joining many parts of all-metal aircraft which are now riveted. In a contracted sense, it could be used only in places where riveting is not cheaper. However, due to the elements of strength, resistance to corrosion, limited fatigue data, and such, the welding of aluminum in aircraft construction has been limited to repairs, manufacture of tanks, manufacture of cowling, etc., and to special non-strength features. Nevertheless, aircraft builders are presented with additional flexibility if the welding of aluminum alloys is within the capabilities of their shops; so, although still experimental in many ways, the use of this light metal in airplanes brings with it a need for knowledge of this subject.

### Electric Welding

Resistance welding is commonly known as electric "butt" or "spot" welding. In this process the junction is made by allowing a large current of low voltage to flow through the place to be fused.

Electric butt welding of aluminum or duralumin is not known. Electric spot welding seems to present certain features which have practical application. A complete study has not yet been made, but considerable preliminary work on spot welding duralumin sheet in an automatic steel welding machine indicates that it can be done with a fair degree of success. In some work done recently, the spots were about 3/32 in. in diameter with a tenacity in tension equal to about 500 lb. per spot. Failure occurred by having a spot pull out of the sheets. The metal in the welds appeared to be burned; cracks, pits, and irregularities being the rule. Corrosion tests conducted on samples did not confirm conclusively an opinion that corrosion would concentrate in or near the point of weld. Some samples corroded did show a tendency towards electrolytic action between the metal in the spot and the sheet itself but it was not general.

Electric arc welding consists of using an electric arc to fuse the junction and the filler rod. An electrode of carbon acts as one of the poles in the circuit and the material being welded as the other pole. By proper manipulation of the carbon electrode an arc is struck and furnishes the heat necessary to melt the filler rod and fuse that and the parts being welded. The temperatures produced in the arc are exceedingly high and for that reason this method of welding is not conducive to good results where aluminum and duralumin are concerned.

### Soldering

No success seems to have been had in using soft solders with aluminum. This is perhaps due to the failure to break down the oxide film on the basic metal by the relatively small amount of heat applied. Silver solders produce better results on the whole; but, so far, solders sufficiently satisfactory even to produce a joint are not generally available. The plating of the aluminum alloy parts to be soldered seems to be a necessary part of the operation in which case practically any solder will adhere to the plate if the plate will adhere to the aluminum concerned. The value of soldering is reduced further by the corrosion factor. Electrolytic action takes place in the vicinity of soldered joints, so that corrosion becomes a matter of serious concern in a location where everything should be done to avoid corrosion.

### Gas Welding

Gas welding aluminum and duralumin is the one that presents the greatest actualities and possibilities in the aircraft industry. Gas welding in an atmosphere other than air may become a matter of general interest later on; but at the present time fusion-joining in air is the more feasible and practical. This particular means employs acetylene and oxygen or hydrogen and oxygen to produce the heat necessary to fuse the metal to be joined. Experience and the size of the material determine whether hydrogen or acetylene shall be used on a job of aluminum or duralumin welding. With relatively thick sheets it is necessary to use acetylene to get the required heat; whereas with very thin sheets, hydrogen serves to better advantage by tending to prevent burning.

In general aluminum sheet and aluminum casting are easier to weld than duralumin. All of these metals have a low melting point with a very small working range of temperature and a great deal of skill is required to produce satisfactory results. The weld as a rule is of a cast structure and contains the properties of that material, being brittle and subject to fatigue failure. In duralumin the material next to the weld is affected by the heat applied changing the physical properties to a material extent. Buckling, cracking and burning are more likely to occur in welding duralumin than in welding aluminum due perhaps to the changes set up in the surrounding metal by the heat of the torch.

Gas welding of duralumin has not been undertaken with any great degree of confidence by the aircraft industry as a whole. The reasons given are various but in the main it is believed that this lack of interest is due primarily to the difficulties encountered in the making of the welds. With that in mind most of that which follows consists of notes on the design of parts to be welded and the actual making of the weld in aluminum alloys.

First, there are certain design features which are very important in any work involving duralumin welding. Heat treated specimens of gas welded duralumin show a tensile strength of about 30,000 lb. per sq. in. with an elongation of 1.5 per cent to 5 per cent in 2 in. Heat treating the samples raises the tensile strength to about 40,000 lbs. per sq. in. with no changes in the elongation. Welded duralumin heat treated and with dressed joint has an efficiency of 25 per cent to 80 per cent (55,000 lb. per sq. in.) So much for the figures. But, to insure satisfactory results the designer must also apply interest to the operation and the following points are material

in that respect:

(1) Make all welds as simple and as accessible as possible;
(2) Reduce intersections of welds to a minimum;
(3) Provide for expansion and contraction around welds by means of beads, grooves, dished heads, crowns, etc.;
(4) Use sheet metal or tube fittings in preference to cast fittings;
(5) Fittings should be set in and welded rather than being attached to the outside.

The equipment used for welding with either acetylene or hydrogen is essentially the same as is used for light guage steel excepting that a lead-burner's torch is used in welding the aluminum alloys. The heat conductivity of aluminum is high so a large torch results in a lack of concentration with consequent jagged and unsightly welds. The small torch demands a smaller hose than the regular full size welding torch which in turn necessitates a reducing valve block. Other than that the equipment is not different from the ordinary gas welders outfit.

Filler rod employed in welding any of the aluminum alloys is usually of the same material as the parts being joined. Where one or both parts are aluminum, commercial soft annealed, pure aluminum wire 1/16 in. to ⅛ in. diameter is used. The welding rod for castings is an 8 per cent copper aluminum alloy wire. Strips sheared from the edge of sheets serve very well for welding rod, and give a material of the correct chemical composition.

## Fluxes Used

The fluxes used in aluminum alloy welding seem to be a constant source of question. Many kinds of fluxes are available in the markets with perhaps as many kinds of opinions regarding their relative merits. The principal objections to most aluminum fluxes are that they are too hygroscopic causing a short life or that the melting point is too high or too low causing burning of the metal or of the flux. The following flux has been subjected to experiment and to shop use and should meet most of the airplane builders needs:

| | | |
|---|---|---|
| Sodium Chloride | 32% | by weight |
| Sodium Fluoride | 20% | " " |
| Potassium Chloride | 24% | " " |
| Lithium Chloride | 24% | " " |

This flux produces a sound, clean, uniform weld and permits welding at a more rapid rate than most other compounds will allow. The corrosive action of fluxes cannot be taken into consideration in comparing their relative merits, for all are more or less hygroscopic and, accordingly, active agents in inducing corrosion in duralumin. The merits of the fluxes must be based on the results obtained by their use in making welds.

Flux, as it is purchased, comes in a pulverized form. Owing to the hygroscopic nature of this material it should be kept in sealed bottles only enough being mixed for immediate use. The flux is mixed with distilled water in a porcelain dish to the consistency of a thin paste and is applied to the seam and to the wire with a small brush. It is usual to preheat the seam slightly so that the water in the flux will evaporate when applied leaving the dry powder in place.

## Welding Sheet Metal

Sheet material can be joined by a butt weld, a flange weld, a lap weld or by some combinations of these welds. The flange method is the most common one employed. It consists of bending up the edges to be joined with a flange about three times the thickness of the material and burning down the flange into the seam. In using either the butt weld or the lap weld, the filler rod furnishes most of the material for the joint. In joining fittings to tanks the filled type of weld is usually required.

The preparation of the work for welding starts with the layout of the detail parts. Care in accurately laying out the parts reduces the risks of damage. It is one very necessary essential in the preparation that the edges to be joined be clean. This can be done mechanically with a wire brush or steel wool or it can be done by immersing the edges for about 30 sec. in a hot caustic solution followed by a rinsing in a diute solution (10 per cent) of nitric acid and that in turn followed by a rinsing in hot water.

The various parts of the job are then assembled, being held in place by clamps (a satisfactory clamp for flanged welds consists of a hinge with through bolt). Note particularly that beads about ⅛ in. deep follow the seams or difficulties with expansion and contraction of the material will result. All parts being carefully changed to form close contact along the seams the work is ready for tack welding.

Aluminum alloys should be welded with a neutral flame. An excess of oxygen will cause the formation of oxides which cannot be controlled by any flux. It is better to use an ex-



*EXAMPLES OF DURALUMIN WELDING. 1, Fittings welded into duralumin tank. 2, A gas welded rectangular tank. 3, A tank head ready for welding. Note the torch. 4, Flange type weld, partly welded and partly tacked.*

cess of acetylene than to run the risk of having too much oxygen. The pressures usually worked with are 15 lb. on the acetylene tank and 30 lb. on the oxygen tank. Having a neutral flame the white inner cone should be kept away from the metal about 1/8 in. and the torch inclined on an angle of about 30 deg. The operator should endeavor to develop as light a torch as possible and must always be alert for any signs of metal falling away due to the application of too much heat. The forehand method is believed to be preferable to the backhand process. In this method the welder points his torch to his left and works from right to left the flame preheating the material in advance of the weld.

The job being ready for tack welding the filler rod is slightly heated and flux applied to the wire. No flux is put on the seams at this time. The torch is then applied to the seam between clamps and the tack welds made, the rod being used to furnish flux and to puddle. Tack welds are made at about one inch intervals. Clamps are removed. The seam is then thoroughly cleaned by means of a wire brush. The flux is then applied to the seam on both sides and to the rod. To make the weld the torch is played directly on the seam, moving it back and forth over a distance of about eight inches until the flux begins to flow. From this point on the method is the same as that used in joining sheet steel excepting that a great deal more care is necessary with aluminum to maintain good fusion and to agitate the molten metal with the wire so that the oxide film is broken.

Constant attention and a great deal of practice is essential to determine exactly when the metal is molten on account of the short temperature range between the melting point and the point where the material burns and pulls out. The determination of the correct amount of heat to apply is a matter of experience and practice and cannot be adequately described to be of benefit to the inexperienced.

Seams in aluminum castings which are to be welded are prepared by cutting away the edges on an angle of about 45 deg. The casting is then preheated at a temperature of about 500 deg. F. and the welding rod melted and puddled into the seam. To weld a cast fitting to a sheet, the fitting is first tack welded and then welded to the plate by filling in with the filler rod.

After the welding is completed the part or parts should be washed in a dilute solution of sulphuric acid or nitric acid and thoroughly cleaned of welding flux. Wire brushing and dressing of the weld are effective in removing the excess flux. Rinsing in hot water is a final essential to remove all traces of the acids and salts.

The inspection of a weld can only be a matter of visual examination without subjecting it to a test for tightness under pressure or without destroying the part. Tank, etc., can readily be tested under pressure. Etching of welded parts in a hot caustic solution will reveal cracks in the metal. The common faults with welds can as a rule be located by a visual examination however; cracks, buckling, burns, inclusions, excess flux, unevenness, etc., are the usual common faluts. A good weld gives its evidence in appearance to a large extent.

In conclusion, it might be said that gas welding of duralumin presents to the aircraft builder a ready means of joining which should be taken advantage of provided the welds are used where fatigue failures and stress failures are not likely to be encountered. Other thermal methods of joining can still be regarded as experimental insofar as duralumin is concerned.

## Belgian Builds Air Yacht

Capt. Alfred Loewenstein, Belgian millionaire, is having built at Croydon, England, an airplane which will be as luxuriously equipped as any yacht.

A cabin, furnished with carpets and hangings, comfortable arm chairs, which can be removed and replaced by beds for night flying, and other appurtenances for travel, is being fitted up. The plane will be able to accommodate six people. A foyer at the entrance to the cabin will be heated in Winter and cooled in Summer by a diffused air system.

## Monel-Plymetl

A new construction material, known as Monel-Plymetl, has been placed on the market by the Haskelite Manufacturing Corp., of Chicago, Ill. This is a panel of Haskelite, the company's plywood, faced on one or both sides with a sheet of monel-metal, or with monel-metal on one side and the reverse covered with vapor-metal, a specially prepared waterproof metal. When an absolutely flat panel is wanted, one that will not be affected by change of moisture content of the plywood core, a metal backing is necessary.

The metal face insures resistance to weather, rust and wear. Before this product was put on the market, it was subjected to thorough tests by exposure to weather and vibration.

## World Records

The National Aeronautic Association has received notice from the Federation Aeronautique Internationale that new world records for airplanes established in accordance with F.A.I. regulations have been recognized by that body, viz:

CLASS C²—(SEAPLANES)
Carrying a Payload of 2000 kg. (4409.24 lb.)
Closed Circuit.

DURATION (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" Isotta-Fraschini engines, 500 ea., at Lac Majeur, Oct. 19, 1926. 5 hr. 41 min. 7 sec.
Former Record:
Duration (United States)
Lt. O. B. Hardison, U.S.N., PN7-2, flying boat, 2 Wright T-2, 535 hp., at Bay Shore, Baltimore, Md., Oct. 25, 1924. 1 hr. 49 min. 11.9 sec.

DISTANCE (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" engines, 500 hp. ea., at Lac Majeur, Oct. 19, 1926 950 km. 590.3 miles
Former Record:
Distance (Italy)
Guido Guidi, Dornier Wal "Idaor", 2 Rolls-Royce 260 hp., at Pisa, Feb. 3, 1925. 253.69 km. 157.63 miles

SPEED for 100 Kilometers (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" engines, 500 hp. ea., at Lac Majeur, Oct. 19, 1926. 176.005 km.p.h. 109.361 m.p.h.
Former Record:
Speed for 100 Kilometers (Italy)
Guido Guidi, Dornier Wal "Idaor", 2 Rolls-Royce 260 hp., at Pisa, Feb. 3, 1925. 134.514 km.p.h. 83.582 m.p.h

SPEED for 500 Kilometers (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" engines, 500 hp. ea., at Lac Majeur, Oct. 19, 1926. 173.567 km.p.h. 107.849 m.p.h.
Former Record: None.

In accordance with Arts. 110 and 111 of the F.A.I. Regulations, "A record made by an aircraft of Class C, C-2, D or G, carrying a given useful load is broken in its category when an aircraft carrying an equal or greater load makes a better performance." The following records are recognized:

CLASS C²—(SEAPLANES)
Carrying a Payload of 1000 Kg. (2204.62 lb.)
Closed Circuit.

DURATION (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" engines, 500 hp. ea., at Lac Majeur, Oct. 19, 1926. 5 hr. 41 min. 7 sec.
Former Record:
Duration (United States)
Lt. Geo. R. Henderson, U.S.N., PN7-1, flying boat, 2 Wright T-2, 535 hp., at Bay Shore, Baltimore, Md., Oct. 25, 1924. 5 hr. 28 min. 43 sec.

DISTANCE (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" engines, 500 hp. ea., at Lac Majeur, Oct. 19, 1926. 950 km. 590.3 miles
Former Record:
Distance (Denmark)
M. Landman, Rohrbach seaplane, at Kastrup, Aug. 28, 1926. 519.830 km. 311.20 miles

CLASS C²—(SEAPLANES)
Carrying a Payload of 500 Kg. (1102.31 lb.)

DISTANCE (Italy)
M. Alessandro Passaleva, Savoia-Marchetti S-55, 2 "Asso" engines, 500 hp. ea., at Lac Majeur, Oct. 19, 1926. 950 km. 590.3 miles
Former Record:
Distance (United States)
Lt. H. E. Halland, U.S.N., F-5-L flying boat, 2 Liberty 400 hp. at San Diego, Calif., June 6, 1923. 750 km. 466 miles

## Aviation in the Moroccan War

The airplane has played a most significant role in the war between the forces of France and Spain and the tribesmen known as the Riffians, which was brought to a close in last Spring by the surrender of Abdel Krim. The rugged nature of the ground and the impassable condition of the roads, precluding Winter warfare, made the campaigning slow and expensive.

The aeronautical forces engaged in fighting consisted of sixteen escadrilles of Breguets (about twenty planes to an escadrille) and one escadrille of Farman Goliaths and one balloon company. The Breguets were observation and light bombing planes of the same general type as the Breguet which flew in the races at Mitchel Field in 1925. The Farman Goliaths were twin-engine bombers but smaller in size than our Martin bombers. As far as is known, the French did not use their more modern equipment in the campaigns. There were, however, no enemy aircraft to contend with, and practically no anti-aircraft guns, the only danger being rifle fire. The escadrilles were attached to the various divisions of army groups and worked in close connection with the other branches of the service.

Little information has come through as to the results achieved by the airplanes, and accounts of the operations seem to have been rather partisan in their character. The English papers have rather slighted the results achieved and there has also been considerable criticism in French parliamentary circles from those who claimed that too much money was spent on aviation.

As the Riffians were on the retreat almost from the start of this year's operations, the airplanes operated as an advance guard to the infantry. They bombed rebel villages far ahead of the French troops, broke up suspicious concentrations of natives and used machine guns on groups who were opposing the French advance. Where the planes operating with an advancing column could not handle a situation alone, they would summon help by wireless, and other planes with bombs and machine guns would come up to dislodge the enemy. In certain cases, the aircraft did practically all the advance preparation and the infantry advanced without opposition.

During the month of May, 1926, the aerial forces in Morocco made 3,932 flights, 2,257 of which were war missions. In 1,501 bombing expeditions, 526,000 lb. of bombs were dropped, 141 wounded were transported, 2,242 photographs were taken and altogether 4,583 hours of flying were done.

## Napier Engines Used in Record Flights

In a recent flight, at Warnemunde, Captain von Gronau, the Napier Lion engine has played an important part. For the Cairo-Cape Town-Cairo-England Flight, of the R. A. F. in Fairey IIID seaplanes the Napier engines were used. The long distance foreign cruise by the Royal Air Force, from Plymouth to Egypt and Cyprus, a distance of approximately 7,000 miles, was made in Supermarine Southampton flying boats equipped with twin Napier Lion engines. In the competition held at Warnemude, Germany, during August, to determine the best seaplane, the first place went to the Heinkel plane, fitted with a 450 hp. Napier Lion engine.

In the outstanding events of the year in European aviation carrying a load of 500 kg., reached a height of three and a half miles, and, with a load of 1,000 kg., an altitude of two and three-quarter miles was reached. In attaining this record, the flier used the Heinkel-Napier seaplane.

***Change of Address***

The Editorial and Publication Offices of The Gardner Publishing Company, publishers of AVIATION, WHO'S WHO IN AMERICAN AERONAUTICS and THE AMERICAN AIRCRAFT DIRECTORY, are located at:

**The Fisk Bldg., Broadway at 57th St.**



THE VOUGHT "CORSAIR"
Newest Naval 2-Place Observation & High-Speed Scouting Plane
Powered with Pratt & Whitney "Wasp" Engine
*Equipped with*

SCINTILLA
**Aircraft Magnetos**

SCINTILLA MAGNETO COMPANY, INC.

*Contractors to the U. S. Army and Navy.* SIDNEY, NEW YORK

## Changes in Air Schedule

On Jan. 1, regular stops at Bellefonte, Pa., and Bryan, Ohio, on the westbound Transcontinental Air Mail schedule were discontinued. The following schedule is now in force.

Leave New York, N. Y., 11 a.m. (Penn. R. R. Sta.)
Leave New Brunswick, N. J., 12.15 p.m. (Hadley Field)
Arrive Cleveland, Ohio, 4.20 p.m. E. T.
Leave Cleveland, Ohio, 3.35 p.m. C. T.
Arrive Chicago, Ill. 7 p.m.

No change was made in schedule either west of Chicago or on the eastbound transcontinental.

## The German Institute of Air Law

With the rapid development of air transportation as a regular business throughout the major continents of the World, the question of air law and legislation relating to the air is becoming ever more of a specialized subject. Many problems of an entirely new nature are continually presenting themselves to lawyers and others, with the result that a completely new sphere of study is rapidly being created.

Probably the World's first effort to cope with this new view point in the legislative field is the air law section which has recently been created at the University of Königsberg, Germany. The head of the department of commercial law, Prof. Dr. iur O. Schreiber, has created the Institute of Air Law at the University. At present, the Institute has a large library with about 1,300 volumes containing the literature of law, and especially that of air law, of nearly all the civilized nations of the World. Here, Prof. Dr. Schreiber and his assistant, the lecturer of the University, Dr. iur H. Oppikofer, give instruction and study the air legislative questions of the day. The Institute also possesses many models of different airplanes.

The relations of the Institute extend over the whole World, and it keeps up a correspondence with law scholars and air traffic men in the United States, China, Russia, Brazil, etc. Some time ago, the Institute entertained thirty American women students in its rooms. On this occasion, Prof. Dr. Schreiber spoke to them of the organization and the purposes of the Institute.

The Institute, in making investigations and in publishing its periodical, "Zeitschrift fur das gesamte Luftrecht," the first number of which appeared this Summer, is awakening the interest of the younger lawyers to the important questions of air law and helping them to study this law. Air traffic law is also studied. Prof. Schreiber has, at the moment, a group of sixteen students, both men and women. At present, the students are all German, but Prof. Schreiber hopes that, in the future, students will come from foreign countries to make use of the opportunity of working together where facilities are excellent and with the special literature which is being collected.

## Colonial Air Transport, Inc. Increases Stock

Stockholders of the Colonial Air Transport, Inc., of Hartford, Conn., air mail contractors on the New York-Boston route, at a meeting held Dec. 28, increased the preferred stock of the company from $330,000. to $2,000,000., and the number of shares of no par value common stock from 6,000 to 36,000.

This was preparatory to the filing of bids by the Colonial Air Transport, Inc., with the government for the operation of the two lines between New York and Chicago, which are to be turned over to private operation.

Coincident with the stock increase, Major Talbot O. Freeman, treasurer of the company, announced that on July 1, 1927, direct passenger and express service by plane from New York to Chicago will be inaugurated. The Chicago route will be via Albany, Schenectady, Rochester, Buffalo and Detroit.

## Work on Fuel Injection Engines

N. A. C. A. report No. 243, by Arthur W. Gardiner, covering a preliminary study of fuel injection and compression ignition, as applied to an aircraft engine cylinder, summarizes some results obtained with a single cylinder test engine at the Langley Field Laboratory of the National Advisory Committee for Aeronautics. For this work a standard Liberty engine cylinder was fitted with a high compression 11.4:1 compression ratio, piston and equipped with an airless injection system, including a primary fuel pump, an injection pump, and an automatic injection valve.

The results obtained during this investigation have indicated the possibility of applying airless injection and compression ignition to a cylinder of this size, 5 in. bore by 7 in. stroke, when operating at engine speeds as high as 1,850 r.p.m., although the unsuitability of the Liberty cylinder form of combustion chamber for compression ignition research probably accentuated the difficulties to be overcome. No difficulty was experienced in metering and injecting the small quantities of fuel required. A minimum specific fuel consumption with Diesel engine fuel oil of 0.30 lb. per 1 hp. hr. was obtained when developing about 16 hp. at 1,730 r.p.m. Specific fuel consumption increased for higher loads at these speeds. A maximum power output of 29.7 b. hp. at 1,700 r.p.m. was obtained but could not be maintained for more than one-half minute due to piston failure. Mean effective pressures approaching standard aircraft engine practice could not be obtained, due in part, it was attributed, to the unsuitable form of the Liberty cylinder combustion chamber. Excessive maximum combustion pressures were encountered when developing only about 60 lb. b.m.e.p. at 1,700 r.p.m., and piston life was very short. The engine could be idled with regular firing at 400 r.p.m., but acceleration under load was not satisfactory, due probably to the fixed timing of injection during any particular run.

*The Konigsburg Institute of Air Law. On the left, the Aeronautic library and, on the right, some of the students who are studying air law.*



KENTUCKY CARDINAL

$1980

OX5 3-PLACE

A Bird of a Different Color

FUNDAMENTALLY different in design, distinctively different in its appointments, and amazingly different in performance.

*Send your name for full details.*

KENTUCKY AIRCRAFT CORPORATION

Owensboro, Ky.

# PICTURES



(Above) *A FLYING MONSTER. The Blackburn Iris flying boat of the British Royal Air Force is one of the largest long-distance patrol seaplanes in the World. It is still undergoing extensive tests in England and few details regarding it are available. It is equipped with three Rolls-Royce Condor engines of 600 hp. each, and during tests it was demonstrated to be capable of maintaining level flight on any two engines and of performing maneuvers in this condition.*

(Below) *PURSUIT AVIATION. A picturesque view of the Curtiss Hawk P-1B pursuit plane (Curtiss D-12) in flight. This machine is the standard pursuit plane of the Air Corps.*

(Above) *FLYING IN SWEDEN. Swedish ... panied by ... and low temperature. The photograph was tak... country flig... frozen surface of lake Siejam, Rattvik, S... are appa...*

(Below) *FLYING IN RUSSIA. Experime... conducted i... with new types of airplanes, with which it is h... a regula... the frozen Siberian Steppes to the Far East. ... the exper... stitute in Moscow. The picture shows one of ... dge- planes ... seen ... machine.*

(Below) *A SEAPLANE CHAMPION. The ... aplane whi... tion some months ago, and has since made many ... hts of one ... machine is equipped w... Lion, 450 ...*



# THE NEWS

*...panied by considerable hardship as a result of the snow, ice ...country flight in Sweden during which the planes landed on the ...s are apparently used as undercarriages in spite of the ice.*

*(Above) AERIAL IMMIGRATION SERVICE. Border patrol pilots H. S. Stringer and E. M. Sieber of the recently created immigration service of San Diego, California. The pilots patrol the Mexican border near Tia Juana and Mexicalia on the lookout for planes carrying Chinamen and dope from Mexico to California. It is reported that some of these intruders are willing to pay as high as $500 per head for aerial transportation into the United States.*

*...conducted in Moscow by the Soviet Government ...e a regular service of air communication across ...r the experiment is the Central Aero-dynamic In... ...dge- planes built for the new service. As will be ...machine.*

*(Below) GYRATING THE BEGINNER. This peculiar piece of apparatus known as the "Ruggles-Orientator" is used in endeavoring to determine a man's physical qualifications for piloting a military airplane. In operation, the "victim" controls the orientator and it should be his object to maintain his control during certain maneuvers. The gentleman on the right acts as a sort of saviour to the poor pupil to help him out when he has had enough.*



*...eaplane which won the German seaplane competi... ...ts of one kind and another, carrying loads. The ...Lion, 450 hp. engine.*



# The Ford "Flivver" Airplane

## *Henry Ford's First Lightplane*

SOME WEEKS ago there appeared in the newspapers frequent references to a new "flivver" airplane which had been produced by the Ford Motor Company. Barring the fact that the plane was very diminutive in size and was powered by an air-cooled engine of about 30 hp., there were no details forthcoming. During a recent visit to Detroit, a representative of AVIATION was, through the courtesy of the Ford Motor Company, given an opportunity of inspecting this highly interesting new Ford product which is described herewith.

It is understood that the production of the machine has been surrounded by a good deal of secrecy since Mr. Ford has been anxious to avoid creating the impression that he is entering the business of producing "flivver" airplanes at this time. Rather, he is merely interested in proving to his own satisfaction whether or not this type of airplane has any future, and just what his actions may be after this desire has been satisfied, is a remote question at this time.

The Ford "flivver" airplane, the first photographs of which were published in AVIATION, August 16, was designed by Otto Koppen of the Airplane Division of the Ford Motor Company and formerly of the Aeronautical Department of the Massachusetts Institute of Technology. As will be seen from the photograph, the machine is a small single-seater low wing monoplane powered with a 35 hp. three-cylinder radial air-cooled Anzani engine driving a propeller of approximately five feet in diameter.

### Construction Details

The plane is of extremely clean appearance, there being no wires or struts, with the exception of the undercarriage struts and the simple tail unit bracing, to mar the simple aspect of the machine or to offer unnecessary resistance. The fuselage is a normal structure of wood longerons braced with steel wire and fabric covered, with a comfortable cockpit for the pilot in which his seat is so arranged that he sits high up and has an excellent view. This feature is important since an airplane of this type is not intended for long distance flying but rather for short pleasure hops and the clear wide view of the pilot enables him to make the most use of the easy slow landing qualities of the plane.

The forward end of the fuselage slopes off smoothly to cowl the Anzani engine which drives a wooden propeller especially designed for the engine and airplane by Mr. Koppen. The wing, of Gottengen 387 section (a moderately thick section), has a span of 22 ft. It is of normal wooden spar and rib construction, fabric covered and has simple elliptical wing tips. The most interesting feature of the wing which is attached to the lower longerons of the fuselage, is the flap device. Flaps extend along the entire trailing edge, divided at the fuselage. Other than these flaps there are no wing tip ailerons, the mechanism of the flaps being such as to enable either their differential operation as ailerons for lateral control or their linear operation as a means of altering the effective section, and, therefore, the lift of the wing.

### The Wing Flap Device

The most interesting feature of the mechanism designed to operate these flaps, is the manner in which their operation is simplified from the standpoint of the pilot. The flaps are worked by the control column in the same sense as this column operates the elevator. Thus, pulling the stick back not only raises the elevators but also depresses the wing flaps with the result that the change in center of pressure caused by a movement of the flaps is compensated for by a change in the longitudinal balance of the plane. As a result, no special effort is necessary on the part of the pilot to correct for any use made of the flap device. Furthermore, there is a small tire friction brake attached to a tail wheel which enables the pilot to transform it into what is, in effect, a tail skid, when desirable.

The undercarriage is of the non-axle type and is extremely wide, having a tread of no less than 7½ ft. Each wheel is supported at the apex of a tripod of three steel tube struts as will be seen in the photograph. The vertical strut of each wheel incorporates compression rubber disc shock absorber, the chief point of interest regarding which is that the rubber discs are molded into brass rings previous to assemble in order to reduce to a very large extent the wear on the internal surface of each ring when in use.

One of the most interesting features of the machine is the endeavor which has been made to silence the engine. The three exhausts from the cylinders lead out into an inverted

*The Ford "Air Flivver" single-seater lightplane (Anzani, 35 hp.). The U-shaped exhaust manifold was not fitted when this picture was taken.*



# New!

## *The Travel Air MONOPLANE*

### 5-place, cabin, for Passengers, mail, Baggage, express or freight

POWERED with Wright Whirlwind Engine, this newest Travel Air development offers superlative air transportation to firms and individuals who value time, comfort, prestige.

Though new, this monoplane was tested out under varying conditions with remarkable results, and is a worthy member of the brilliant Travel Air family.

Our new descriptive folder gives details and performance figures, for those interested. It is gladly sent upon request.

**The Travel Air Mfg. Co., Inc.**

Factory & General Offices

WICHITA, KANSAS.

U-shaped manifold, the outlets of which extend below the leading edge of the wing. At each of the two outlets of this manifold a standard Ford car exhaust silencer has been fitted and the result, while not by any means being the absolute silencing of the engine, is approximately a fifty per cent reduction in exhaust noises.

The only pilot who has, so far, flown the Ford "flivver" plane is Harry Brooks of the Ford Air Transport Service. He reports the plane excellent on the controls and, in fact, one of the nicest machines he has even flown. It is very easy to fly and the position of the pilot ensures the maximum of vision. Brooks, in flying the machine, takes off straight out of the door of the building of the Ford Dearborn plant where the machine is kept. The plane leaves the ground after a very short run and has a remarkably good climb, indicating that there is plenty of reserve power. Brooks' handling of the machine is perfect, exhibiting to the greatest possible extent its excellent maneuverability. In landing, the machine has a low speed, due largely to the wing flaps, which are depressed, thus greatly increasing the lift of the wings. As soon as the tail is on the ground, the friction brake becomes effective with the result that the forward speed is checked within a few yards. On the ground, of course, the plane may be maneuvered with the greatest possible ease since there is no need to open the throttle in spurts to overcome the drag of the tail on the ground and the machine can thus be taxiied along steadily and with perfect directional control. In this way the plane has been driven down the street with the greatest ease.

The Ford Flivver airplane is now on view in New York at the Showroom of the Ford Motor Company. It is equipped with a new engine being developed by the Ford Company. The engine is not at this time complete but it is a two-cylinder horizontally opposed powerplant with aluminum cylinders steel lined and a two-throw crankshaft, the cylinders being offset.

## The Northwest Aerial Forest Patrol

By E. Harve Partridge

Six hundred hours of flying over the heavily timbered national forests of Eastern Washington, Northern Idaho and in Montana as far East as the Continental divide in the Rockies, without even a minor mishap, is the 1926 record of Pilots Nick B. Mamer and George Henry, fliers in the first patrol district.

Flying was done under the most trying conditions possible as many times the planes were flown for long periods of time always over burning timber where smoke and heat made visibility an almost absent factor and the air was hot and rough.

*The men who handled aerial forest patrol work over the national forests of Eastern Washington, Northern Idaho and Western Montana during 1926. From left to right they are: Observer J. E. Jost, Pilot Nich B. Mamer, Pilot George Henry and Chief Observer Howard R. Flint.*

The fliers began their season's work on June 15 and ended the season on Sept. 15, after making complete photographic records of the burned areas. Two D. H. planes were used and, during ahe season, seven engines were changed, three in one machine and four in the other. The area covered by the pilots was 300 miles long and 200 miles wide and included some of the thickest and finest areas of white pine left standing in the United States. By their reports on location of fires and reconnaisance trips to report on the extent of the spread of the flames, fire fighters were able to work to the best advantage at all times.

Two forced landings were made during the season, one by each of the fliers. Mamer hit a severe bump which caused the float in the carburetor to stick and he made a landing in a field of restricted size without damage. Shortly afterward, Lieutenant Henry had to land in a small field with a broken oil lead but set the plane down without damaging it.

"Fying conditions in July over the area were the worst I have experienced in 13 years in the game", said Pilot Mamer. "Hot, dry, windy and bumpy air were encountered almost continuously and made flying difficult"

During July alone, Pilot Mamer spent 120 hr. in the air and Pilot Henry 100 hr. On one occasion, Polot Mamer flew 14 hr. between dawn and darkness of one day, landing only for gasoline and oil and to get a hurried meal. So many new fires were starting that the patrol was worked to capacity. Fliers in Spokane said the month's flying would be close to a record for the service.

Howard R. Flint, forestry chief, had charge of aerial observation work and J. E. Jost was his principal assistant. Mechanics for the pilots were Ivan O. Cooper, Raymond Carroll and James M. Kelley.

## On Airplane Arresting Gears

The problem of devising some method of arresting the forward run of an airplane after landing was the subject of a paper by (England) G. H. Dowty, read to the Institution of Aeronautical Engineers recently.

The lecturer dealt first with the problem of design in undercarriages of the Oleo type, and then, turning to the other question of absorbing the machine's kinetic energy due to its horizontal component of velocity, he pointed out that the airplane, which, by reason of its speed, was most in need of some form of braking, was the only vehicle which did not use such a system. So many impracticable schemes had been proposed in the past that it was doubted if a practical solution could be found. Deck-landing aircraft, as used by the Navy, owing to the necessity of a low landing speed, suffered in regard to their performance compared with land machines, according to Mr. Dowty. Arresters permitting the use of very small airdromes would have a value in commercial aviation in the saving of initial airdrome cost and maintenance.

In designing a suitable arresting mechanism, the lecturer had in mind the hydraulic buffers used on railways, but whereas those had a short travel accompanied by a high resistance, the aircraft arrester must have a long travel and corresponding low resistance. The type he had in view would make it possible for an airplane landing at 90 m.p.h. to be brought to rest in 300 ft. without encountering a greater deceleration than once that of gravity. This would mean that the present structure of an airplane would easily stand up to the loads imposed by the arrester.

The lecturer gave some general details of the proposed apparatus, which consisted of a drum carrying a definite length of cable. The unwinding of the cable caused the drum to rotate and the mechanism for obtaining a uniform resistance was contained inside the drum. As the brake was in an entirely experimental state he was not prepared to give details of the design, but he would point out that engagement could be made at a good flying speed, and there was no necessity of shutting off the engine before landing.

# Side Slips

By ROBERT R. OSBORN

Every one we have talked to seems to envy the officers making the 18,500 mile flight through the Pan-American countries. Having heard from various reliable sources of the great hospitality of our Southern brothers, we can imagine life for these fliers to be like a continuous race-week program, fetes, parties, etc. The fliers are getting not only excellent training in cross-country flying, but it is probable that the rapidity with which the political map of South America changes will make good diplomats out of all of them. Think of the tact necessary to take care of the embarrassment of finding, when one comes down for breakfast, that the strange gentleman presiding at the function is the new mayor or president, elected while one was sleeping.

The fliers were fortunate in reaching Vera Cruz with less difficulty than did a friend of ours recently. This friend, while an excellent linguist, and able to speak Spanish, English and French very fluently, finds it impossible to pronounce the letter "R", and has to skip that letter altogether in his conversation. Recently, while on an automobile tour of Mexico, he was within ten miles of Vera Cruz but none of the natives could tell him which was the proper route to "Veh Cooth".

* * * *

Another flight of interest equal to the Pan-American flight is the 12,000 mile flight to India and return now being carried through by the British Air Minister and his wife. The flight is claimed to be the longest one ever undertaken by a woman, and also an epoch-making one for British aviation,—but to us the outstanding accomplishment in this trip is that of Lady Maud Hoare in limiting her luggage to one small suit case containing twenty pounds of clothes and toilet articles. We offer this as a record that will stand for some time. In fact we could mention a few American women who could not possibly make such a trip without a couple of extra bombing planes in attendance, to carry the trunks filled with clothes "wanted on voyage".

We hope Sir Samuel Hoare will be able to report better flying conditions in Mesopotamia than have previous investigators. One of our saddest moments in the last year came when Sir Alan Cobham sent back word to the newspapers that "flying at midday in Mesopotamia is rarely practical". It has always been our fond hope that some day, before we became too old, we might be able to fly at midday in Mesopotamia, and unless someone else can present a more favorable report, it seems this will be denied us.

* * * *

The Intrepid Aviator appeared to be very much worried when we saw him the other day. He had read in the newspapers that the president of the Aeronautical Chamber of Commerce had made a statement to President Coolidge that there were 5,000 planes in commercial use in the United States today. It seems that his Jenny has been out of commission for a month because of some minor trouble, and he was wondering whether or not he should telegraph to the president to change the figure to 4,999 until he could get the repairs made.

* * * *

The announcement that another polar flight was in the process of organization did not state whether or not Tex Richard, the prominent fight promoter, was taking care of the details of this battle.

It seems that all good columns should attempt to deplore something or view something with alarm at regular intervals. We admit that we have been very lacking in this respect, but will attempt to deplore something or other each week in the new year. For the present week we greatly fear that at least one more airplane will have to be added to the Coast Guard fleet completely to prevent any liquor from being smuggled into the United States. In fact it may even be necessary to have one airplane for every thousand miles of border line.

RELIABLE PERFORMANCE

*is symbolized in these well-known trade marks*

IN those aircraft engines that are making records and history for reliable performance in the great Governmental Departments of War, Navy and Air Mail and also in commercial flying throughout the land, SRB Bearings with balls forged from Molybdenum Steel are rendering an important service in the elimination of friction at the highly stressed points.

—and safely allowing the fullest expression of engineering design.



*Interesting literature of a highly informative nature will be mailed upon request*

STANDARD STEEL AND BEARINGS INCORPORATED

Plainville USE SRB BALL BEARINGS—*First!* —*they'll last* Connecticut

# FOREIGN AERONAUTICAL NEWS NOTES

By Special Arrangement with the Automotive and Transportation Divisions, Bureau of Foreign and Domestic Commerce

### *Larger Plane On Buenos Aires-Montevideo Service*

The Junkers Mission, which operates a tri-weekly airplane passenger and freight service between Buenos Aires and Montevideo, has replaced the single-engine seaplane formerly in use with a three-engine plane, with capacity for ten passengers instead of four, as in the plane previously used.

The new plane, recently imported from Germany, is a Junkers G-24 monoplane, of metal construction throughout, with three Junkers L-5 engines of 300 hp. each.

The span of this plane is 29m. 90 cm.; the length 15 m. 23 cm.; and the height 5 m. 40 cm. The max. speed is 175 km. per hr. (about 109 m.p.h.), the cruising speed 150 km. per hr. (about 93 m.p.h.) and the min. speed, loaded, 105 km. per hr. (about 65 m.p.h.)

### *New Spanish Air Service Concessions Granted*

The Union Aerea Espanola has recently been given two concessions for the operation of airplane services, one between Madrid, Cordoba, Sevilla and Jerez de la Frontera, and the other between Madrid, Guadalajara, Calatayud, Zaragoza, Lerida, Barcelona, Tarrgona, Castellon and Valencia. These will be under the inspection of the Civil Aeronautic section of the State and the usual conditions are imposed by the Government to guarantee the continuity of the service, the Government reserving the right to take over this line when the requisites of the national defense render such action necessary. The concession is of six years duration and the concessionary is given the period of a year to inaugurate service. After being put into operation the suspension of service of two months will be equivalent to its cancellation. A bond of 25,000 pesetas has been given by the solicitants for this concession as a guarantee for same.

### *More Details on Aviation in Sweden*

A conference was recently held in Gothenberg, Sweden, between government officials, representatives of the Association for Air Traffic in Gothenberg, and Aktb. Aerotransport during which plans for air traffic to and from Gothenberg during the coming season were discussed.

It is believed in Sweden to be probable that the Gothenberg-Oslo line will be established, but it is also believed doubtful whether the projected line Stockholm-Gothenberg, which would enable travelers to complete the journey from Helsingfors to Hamburg in one day, will be realized. Present means would probably not be sufficient for a government subsidy, it is said.

The Royal Swedish Board of Trade has approved of Aktb. Aerotransport's application for a subsidy of 550,000 crowns during the budget year 1927-28 for commercial aviation, for 560,000 crowns for increase of the commercial aviation loan fund and for 11,653 crowns to be spent on the radio stations at the aerial ports of Stockholm and Malmo.

### *Air Ministry Experiments With Testing Device*

The Air Ministry of England is experimenting with a device, which, it is claimed, indicates to a pilot whether his plane is flying on a straight course or in curves during fog or darkness.

The instrument, which is seven inches in diameter, contains a gyroscope and indicates by green or red luminous sectors on the dial when the plane is flying in curves or out of a straight course.

### *Austrian Airplane Traffic on Increase*

Aerial traffic in Vienna in 1926 thus far shows a decided increase over the preceding year, according to the Department of Commerce. The number of arrivals and departures from the aerodrome Aspern (Vienna) since 1922, is shown by the following figures:

| | | |
|---|---|---|
| 1922 | 644 | passengers. |
| 1923 | 2,543 | " |
| 1924 | 4,184 | " |
| 1925 | 6,190 | " |
| 1926 | estimated over 10,000 | passengers. |

To Oct. 20, 1926 no serious airplane accidents have occurred on Austrian territory during 1926 and only two persons were slightly injured during a forced landing. Freight traffic by air in 1926 has advanced substantially, as have also the number of ordinary letters and shipments of gold sent by that method. Up to the present time, mail has been carried by the ordinary passenger planes. In 1927 it is planned to introduce the use of special freight planes on some lines.

The services that touch Vienna are at present conferring on the 1927 schedules. Many important improvements are reported to be planned including a Winter service on some lines, notably on the routes Vienna-Munich, Vienna-Budapest and Vienna-Venice. The service Vienna-Cracow will be continued until further notice. Winter rates will probably be 25 per cent cheaper than the Summer rates, it is said. On Oct. 14, a new service was inaugurated between Budapest and Graz connecting with the existing line Vienna-Venice.

The following services will be maintained in 1927:

1) Vienna-Munich-Zurich.
2) Vienna-Graz-Venice and Budapest-Graz-Venice.
3) Vienna-Linz-Salzburg-Innsbruck-Bregenz-Zurich.
4) Vienna-Prague-Berlin (this route does not yet exist but its establishment is contemplated in order to fill a long-felt need.)
5) Vienna-Budapest (Ungarische Luftverkehrs A. G.)
6) Vienna-Cracow-Warsaw-Dantzig and Cracow-Lemberg respectively (Polnische Luftverkehrs A. G.)
7) Paris-Vienna-Balkan (Fracno-Roumaine)

The first four services are operated by the Oesterreichische Luftverkehrs A. G. with the exception of the line Budapest-Craz.

Schedules for 1927 are planned in such a manner that it will be possible to fly in one day from Vienna to Paris; Vienna to London; Berlin to Venice, via Vienna; or Dantzig-Warsaw to Venice, via Vienna.

### *The African Air Service Trial*

As previously announced in these columns, an experimental air line between Khartoum and Kisumu, Uganda, Africa is to be inaugurated early in January. The route will be 1,400 miles long and, in the experiment, twelve journeys are to be made each way.

The plane will start from Khartoum at 7 a.m. and reach Kisumu about 1 p.m. on the following day, thus saving more than thirteen days in the journey from England, compared with existing means of transport. The Governments of Uganda, Kenya and the Sudan have each subscribed £2,000 for the project, and the Blackburn Aeroplane Company £7,000.

The machine to be used, a D.H. 50, pontoon seaplane fitted with a Bristol Jupiter 420 hp. engine, and named the Pelican, has recently been completed. It is believed however, that as soon as the line is fully established a larger seaplane may be necessary.

### *Italian Pilot Invents Pocket Parachute*

Lieutenant Freri, of the Italian aviation forces, has invented a pocket-size parachute. Jumping from a plane at an altitude of 1,200 ft., Lieutenant Freri landed safely within a few minutes in a recent text exhibition at Genoa.

Lieut. Doolittle, with Lap Pack type; Lieut. Brookley, with Seat Pack type — IRVIN Air Chutes.

## In the Service of U. S. A.

They think nothing about it now. These men of the Army Air Service. They step easily into their "IRVIN" harness before going up. And then as they sit comfortably with the "pack" attached, they forget it entirely. Yet it's ready for instant use—if they need, or want it. And it gives them that confident feeling of "ready for anything". Likewise with the U. S. Navy and U. S. Air Mail services.

*Manufactured by*

**Irving Air Chute Co., Inc.**
523 Main Street
**Buffalo, N. Y.**

*Cable Address "Irving, Buffalo"*

AIR CHUTES IRVIN TRADE MARK





## *What Do You Know About Airplanes?*

A FEW years ago men had to learn about aircraft from personal, costly experience. They had no one to guide them—no one to point out mistakes when they were made—and therefore years were spent learning what takes months now.

*THOROUGH — PRACTICAL TRAINING*

Today the American School of Aviation offers you these long years of experience and knowledge, which cost millions to acquire, in their new and fascinating Home Study Course in Practical Aeronautics which has been highly endorsed by prominent aviation authorities.

*WRITE TODAY*

No matter whether you have worked with airplanes all your life or are just beginning in the industry you owe it to yourself to send for a complete and detailed outline of this training and our new and interesting free book, "Opportunities in the Airplane Industry."

***American School of Aviation***

*Dept.* 8271
**3601 Michigan Ave., CHICAGO, ILL.**



# Believe it or Not—



*Fellow Pilots:*

*On December 29th, I took a combination Alexander Eaglerock to 6000 feet above Alexander Airport, cut the motor and did the following: one loop, right spin, left spin, two barrel-rolls, a whip stall, two half rolls, and a dead stick landing.*

*Paul Vernier*
*Chief Pilot*

DEALERS WITH DEMONSTRATOR SHIPS ON THEIR FIELDS

*Southern California*—Aero Corporation of California, Los Angeles
*Northern California*—W. L. Lamkin, Porterville, California
*Michigan*—Niles Airways, Niles, Michigan
*Indiana*—Captain J. A. Yonge, Gary, Indiana
*Illinois*—Sievert Aircraft Corp., Chicago
*Okla. & Tex. Panhandle*—Southwest Airplane Sales Corp., Okla. City
*Virginia & North Carolina*—Charles Flying Service, Richmond, Va.
*W. Mo. and E. Kan.*—Bennett Eaglerock Sales Co., Kans. City, Mo.
*E. Mo. and Arkansas*—Bridgeton Aircraft Corp., St. Louis, Mo.
*N. Y. and Conn.*—G. Torlotting, Curtis Field, N. Y.
*Western Kansas*—C. E. Steele, Dodge City, Kansas
*Wyo. and Montana*—Wyoming Airways Inc., Casper, Wyo.
*N. Y. and Conn.*—G. Torlotting, Curtis Field, L. I., N. Y.
*Southern Texas*—Dick Hair, P. O. Box 420, San Antonio, Tex.

CASH PRICE—$2475—DENVER

ALEXANDER AIRCRAFT CO.

ASSOCIATED WITH ALEXANDER INDUSTRIES
ROOM 401, ALEXANDER INDUSTRIES BLDG DENVER

# American Aircraft Directory

*Many enquiries have been received by Aviators for information regarding state laws, municipal ordinances, commercial pilots, airports and aircraft operators throughout the United States. To meet this demand, the American Aircraft Directory will be published in 1927 in book form with many maps, illustrations and advertisements. As many of our readers wish this information immediately, there will be published each week, the data which has been received to date.*

*It is expected that many additions will be made and our readers are requested to send any corrections, additions or suggestions that they may have. Copyright, 1927 by Gardner Publishing Company.*

## CALIFORNIA

*(Continued)*

*ONTARIO*
Ontario Aircraft Corp.
W. Waterman, 226 E. J Street.

*PARADISE*
Thos. Penfield

*PASADENA*
Photomap Co., 45 East Green St.
M. DeH. Quinby, 1050 North Hudson Lomonda Park.
Frank S. Spring, 55 N. Vernon Ave.

*PETALUMA*
Buck-Pingpank Aircraft Co.

*PORTERVILLE*
W. L. Lamkin

*RIO VISTA*
A. W. Hansen

*SACRAMENTO*
H. Gay Andrews, 2115 Eye St.
Del Pasco Aviation Co., R.F.D.7, Box 1545
Ingvald Fogerskag, R.D.7, Box 1545
Irwin Aircraft Corp., 1220 Yale St., S. Lubin
S. E. Shelton, Irwin Aircraft Corp., 1220 Yale St.

*SAN DIEGO*
Bird Aircraft Co., 516 Southern Title Bldg.
Bert Cooper, 2070 De Foe St.
J. E. Crosson, 3041 B St.
Martin Jenson, 2030 Union St.
T. C. Ryan, Ryan Flying School
Ryan Airlines, Inc., 3200 Barnett Ave.
D. W. Tomlinson, Fighting Squadron Two.
Fred Young, 4341 Cleveland St.

*SAN FRANCISCO*
L. M. Balot, 826 Kearny St.
R. P. Beehe, The Presidio
Vance Breese, Marina Field
Earl P. Cooper Airplane & Motor Co., 1501 Sutter St.
D. W. Geoble, 321 Bush St.
Harry W. Huking, Air Mail Service, Crissy Field
J. Almanzor Sarbosa, 1449 Rivisidero St.
John B. Buck, 2825 Deary St.
Geo. Taylor Douglass, 1350 Third Ave.
Jos. F. Grasso, 2995 Howard St.
D. N. Larson, Van Ness at Sacramento
Otis McAllister & Co.
Francis L. McCreddin, 2 Wood St.
George E. Powers, 144 Second St.
Lt. G. E. Russell, 75 Third St.
Guy T. Slaughter & Co., 244 California St.
Williams Bros. Aircraft Corp., 25th & Portero Ave. P. J. Williams
Walter T. Varney, 1645 California St.

*SAN JOSE*
Virgil M. Cline, 829 Chapman Ave.

*SAN MATE*
Murphy McHenry

*SAN PEDRO*
F. W. Farris, 2231 Alma St.

*SAN QUENTIN*
Bert E. Stone, P. O. Box 37967

*SANTA ANA*
Eddie Martin, 807 Richland Ave.
Jonnie Martin, 418 So. Broadway
T. C. Peterson

*SANTA BARBARA*
Dwight Faulding
Loughead Seaplane Sta.
Dave R. Matthews, 2019 Oak Ave.
Earle Ovington

*SANTA CLARA*
Arthur F. Starr

*SANTA CRUZ*
Milton Charles Main, Box 501
Alvin Leo Weymouth, 129 King St.
James T. Young, 47 Washington St.

*SANTA MARIA*
Santa Maria Aviation Co.

*SANTA MONICA*
Douglas Aero Corp.
F. D. Hoyt, c/o Elks' Club
Lt. Bob Lloyd, Clover Field
K. W. Montee, 1456 Berkeley St.

*SANTA ROSA*
Santa Rosa Locomobile Sales Co.
K. R. Semon, Box 36

*STANFORD UNIVERSITY*
Nathan A. Rhine, P. O. Box 62

*STOCKTON*
California Aerial Transportation Co.
W. A. Evans, 517 Channel St.
F. W. Farrin Flying Field
W. H. Gregg, Route 4, Box 380
Grover Tyler, Bennet Apt. No. 304

*TAFT*
Russell T. Geraw, Box 145

*VENICE*
Catron & Fisk Airplane Engine Co., P. O. 98.
Crawford Airplane Co., 300 Ave. 18.
Fisk Aero Co.
George Lyle, P. O. Box 805, R.F.D.1

*VISALIA*
N. W. Hyde

*WESTWOOD*
F. A. King, P. O. Box 689

*WILMINGTON*
W. F. Crawford, Harbor Aviation Co.

## STATE DIRECTORY

### *AMBOY*

**FLYING FIELD**

Municipal Field, T. R. Morgan in charge.
*Location*: ¼ mi. from postoffice.
*Description*: 300 by 1,500 ft.; Alt. 650 ft.; marked.
*Facilities*: Supplies and minor repairs available.

### *ANGELES CAMP*

**FLYING FIELD**

Municipal Field, owned by city.
*Location*: Southern edge of city, inside of race track.
*Description*: 1,200 ft. sq.
*Facilities*: Gas and oil obtainable in city.

### *ARLINGTON*

**AIRCRAFT and ACCESSORY COMPANIES**

**Prest Airplanes and Motors Co.**
Clarence O. Prest, Gen. Manager; airplanes, supplies and shop facilities.

### *AVALON*

**FLYING FIELD**

Sugar Loaf Terminal, for seaplanes, owned by Pacific Marine Airways Co.
*Location*: S. of city.

### *BAKERSFIELD*

**FLYING FIELD**

Municipal Airport, maintained by city. Address Floyd Dunlap, Sec. Kern County Chamber of Commerce.
*Location*: 4¼ mi. NW of city.
*Description*: 3,500 by 2,000 by 100 ft.; marked.
*Facilities*: Hangars and supplies.

### *BARSTOW*

**FLYING FIELD**

Municipal, operated by Chamber of Commerce.
*Location*: 1½ mi. N of postoffice.
*Description*: 1,800 by 1,600 ft.; Alt. 2,300 ft.
*Facilities*: Supplies available in city.

### *BAYPOINT*

**FLYING FIELD**

Commercial Field, owned by W. T. Varney.
*Location*: ½ mi. S of town.
*Description*: 4,000 by 1,000 ft.
*Facilities*: Hangar; supplies from town.

### *BERESFORD*

**FLYING FIELD**

Commercial Field, owned by Walter T. Varney.
*Location*: S of city.
*Description*: 2,000 by 2,200 ft.
*Facilities*: Hangar; supplies in town.

### *BRIDGEPORT*

**FLYING FIELD**

Bryant Flying Field; owned by A. S. Bryant.
*Location*: ¼ mi. NE of postoffice.
*Description*: 2,000 by 750 ft.; Alt. 6,400 ft.
*Facilities*: Supplies available.

### *CAMPO*

**FLYING FIELD**

Municipal Field, Charles Morgan in charge.
*Location*: ¼ mi. N of town.
*Description*: ¾ mi. N and S by ½ mi. E and W; Alt. 2,500; marked.
*Facilities*: Minor repairs; supplies available.

*(To be Continued)*

# AIRPORTS AND AIRWAYS

### Denver, Colo.

By J. A. McInaney

Tentative steps to obtain the approval of the National Aeronautic Association for the holding of the 1927 National Balloon Race in Denver, have been taken by the air committee of the Denver Chamber of Commerce.

If the balloon event is obtained, it is planned to have the race in Denver in connection with a Mile High air meet in which the leading airplane manufacturers of the United States will be solicited for entries. It is aimed to hold the meet in connection with a festival celebrating the completion of the Moffat tunnel.

Mr. Carl Wolfley, vice president of the National Aeronautic Association, and a member of the balloon race committee is quoted as saying that Denver and Kansas City, Mo., were in the field for the 1927 meet.

Attorney Phelps has said the air committee of the Denver chamber of commerce has written to Washington, D. C., office of the National Aeronautic association for full particulars on the race, the manner in which to make application for the event and the amount of the guarantee required.

If the race is obtained for Denver the air committee of the chamber of commerce will have the co-operation of the Air Service Reserve Officers Association, according to Attorney Phelps.

It is believed $25,000, will be required to finance the event, which will include a guarantee of $10,000 to $15,000 to the National Aeronautic Association, but it is thought all of that expense, or at least a large part of it, can be offset by the construction of grandstands, to which an admission will be charged to those who desire a close-up view of the balloon races and the air meet.

### Camden, N. J.

The South Jersey Aviation Club will hold its first anniversary at the Camden Armory Feb. 14 to 19. The purpose of this celebration is to stimulate local aviation interest and boost the Camden Airport.

Efforts on the part of the backers of this project have been amply repaid to date, for it has developed that there is a keen interest in aviation in this part of the state. It is the intention of the committee in charge to promote this enthusiasm to the advantage of the Camden Airport.

### Oakland, Cal.

The 1,450 acres of tide-land, located on the bay shore, South of Oakland, will be converted into a municipal airport, which those who back the project, expect to make equal to the world's greatest. The location of the field is ideal, twenty minutes from the heart of the city, with deep water on one side and a railroad on the other. The surrounding country is flat and the flying conditions are the best that Southern California has to offer. The approaches of the airdrome will be protected by a golf course, which will also be laid out by the City of Oakland.


THE RATING OF YOUR AIRPORT

DEPENDS UPON YOUR FACILITIES FOR NIGHT LANDINGS.



Now is the time to provide a distinguishing B.B.T. Flashing Beacon and B.B.T. Floodlighting Equipment that will give you "Daylight at Night" illumination over your entire field.

*Our catalog will be gladly forwarded on request.*

B.B.T. CORPORATION OF AMERICA

ATLANTIC BUILDING PHILADELPHIA PENNA.

PERRY-AUSTEN DOPES

Acetate Nitrate — Clear Pigmented

*Used by*

ATLANTIC AIRCRAFT CORP.
BUHL AIRCRAFT CO.
CHANCE VOUGHT CORP.
CURTISS AEROPLANE & MOTOR, INC.
CONSOLIDATED AIRCRAFT CORP.
THE DOUGLAS COMPANY
GLENN L. MARTIN CO.
HUFF-DALAND AIRPLANES, INC.
JOHNSON AIRCRAFT CO.
LOENING AERONAUTICAL ENG. CORP.
PITCAIRN AVIATION
STINSON SALES CORP.
U. S. ARMY
U. S. NAVY
U. S. POST OFFICE
U. S. DEPT. OF AGRICULTURE
AIR TRANSPORT LINES
FOREIGN GOVERNMENTS
AND MANY OTHERS

Perry-Austen Clear Acetate Dope,

*The Lasting Undercoat*

THE BEST FINISH

UNDERCOATS
Perry-Austen Clear Acetate

TOPCOATS
Perry-Austen Pigmented Dopes.

PERRY-AUSTEN MFG. CO.
STATEN ISLAND, N. Y.

*Contractors to United States Government*

### Iowa Park, Tex.

By R. L. Hughes

Iowa Park has one of the finest flying fields in this section of the state. It contains sixty acres and slopes in every direction, so that landings may be made uphill and take-offs downhill in any direction. The field is almost within city limits and is very popular with visiting pilots.

Latta Graham has purchased a new 1927 Swallow and is well pleased with its performance. Merrell Brock, who has the agency for Swallows, has sold two for Spring delivery.

Hector Gray was in Iowa Park for a week recently and has now gone to Amarillo, leaving his Lincoln-Standard for repairs. C. P. Russell and Raymond Hughes have organized an up-to-date air service and plan for a good year's business.

### Miami, Fla.

By Earl M. De Noon

Rodgers Air Lines, Inc. expect to close a contract very soon with the British Government for the transmission of air mail between Miami and Nassau. A government sudsidy by the British will be the means of making this line the first permanent connection by air between the United States and Great Britain.

The Chalk School of Aviation and the Chalk Flying Service contemplate several new planes this month.

The airport committee of the Miami Chamber of Commerce will meet this week to discuss the possibility of a permanent airport being established immediately.

### Aero Club of Pittsburgh

By Ray A. Tucker

The Aero Club of Pittsburgh is to hold its fifth annual aviation ball on Friday evening, Feb. 4, in the ball room of the William Penn Hotel.

The event has grown to be one of the outstanding features of the social season in Pittsburgh. Also, as in every year past, it will afford many pilots of nearby and far distant military and commercial fields the opportunity of holding one of those old time-honored "high flying" reunions. The Aero Club extends a blanket invitation to all pilots and other aeronautical men to proceed to Pittsburgh upon this occasion.

The original stunts of the annual ball have always been a big hit, in connection with the entertainment program. The following members compose the ball committees: General Committee: Robert A. Laedlein, Chairman, Louis T. Barry, Halsey R. Bazley, William E. Close, Joseph M. Slater, Lawrence A. Wilson; Decoration Committee: Raymond M. Marlier, Chairman; Music Committee: Ellis C. Balsinger, Chairman; Patroness & Box Committee: Halmar D. Denny, Jr., Chairman; Publicity Committee: Ray A. Tucker, Chairman; Ticket Committee: H. Frank McCaffrey, Chairman.

Due to many requests, the Aero Club recently established a speakers bureau, whose personnel has been made up of members of the club. The Bureau will furnish speakers to luncheon clubs, business organizations, and school and church societies. Lectures will be given on "The Strides Made in Commercial Military Aeronautics". Several such organizations have already availed themselves of this service and the results have proved fruitful in stimulating greater interest in the subject.

### Milwaukee, Wis.

The County Park Board on Jan. 6 approved the report submitted by the buildings and grounds committee for changes and improvements at the Milwaukee County Airport. This included the installation of two 1,000 gallon tanks and pumps for supplying gasoline to planes using the field. These improvements will cost $689.

Complete changes will be made in the lighting system used on the field, the contract for this having been awarded to Thomas Hamilton, President of the Hamilton Aero Manufacturing Co. Improvements in the drainage system will also be made through the use of larger tiling.

The Northwest Airways, Inc., air mail contractors between

**PRIVATE OPERATORS** made the discovery that airplanes engineered to meet the exacting requirements of the **POST OFFICE DEP'T.** were more economical to keep up and operate than many so called, "Commercial Ships."

Considering that the initial cost was no higher, it was well worth their time investigating the superiority of **RYAN M-1.**

RYAN M-1 MAIL PLANE OVER SAN DIEGO, CAL.

**RYAN AIRLINES — SAN DIEGO.**

**NITRATE DOPE**

**NEW PRODUCTION** **IMMEDIATE SHIPMENT**

***Contractors to U.S. Army and Navy***

**VAN SCHAACK BROS. CHEMICAL WORKS**
3358 AVONDALE AVE. - CHICAGO, ILL.

**Liberty Guaranteed Aircraft Motors**

**Stub tooth gears, Ohio pistons, latest type used by the Air Mail**

**New, $1200, Used 20 hours, $975**

These motors were bough from U.S. Air Service and converted

Liberty 12 carburetors, $25.00, switches, $14.50, complete Delco heads, $20.00. Large lot of parts cheap. Liberty 6 motors, $525.00, new and complete.

**YACKEY AIRCRAFT COMPANY**
Checkerboard Field, Des Plaines River and Roosevelt Road, Forest Park, Illinois, (suburb of Chicago)

Chicago and Minneapolis, is to use the hangar one year free of charge, but will pay for all mechanic's services, gasoline and oil.

The original appropriation for the work was $150,000., but a request for an additional $25,000. will be made to the county board. The board agreed to pay $500. for the hangar now on the former Lisbon Road Airport, and accepted the offer of M. Warshauer for the hangar owned by him on the Lisbon field.

The name of the field has been officially designated as the Milwaukee County Airport. It has heretofore been known as Hamilton Field.

## UNITED STATES AIR FORCES

### McCook Field

Since the advent of the present standard pursuit planes, inverted flying, especially in exhibition work, has been very common. This is due to the ease with which these planes may be rolled on their backs.

Last Spring, at McCook Field, one of the pilots took up a P-1, and executed a series of maneuvers while another pilot flew a DH alongside. The DH had a photographer in the rear cockpit and he took moving pictures of the P-1 as it maneuvered.

The most interesting picture was one showing where the P-1 rolled slowly on its back (around the longitudinal axis) using the ailerons. The pilot then pushed forward gently on the control stick and the plane gradually climbed and stalled, the speed falling off from about 160 to 70 m.p.h. The rudder was then kicked hard over, the stick pushed full forward and the plane went into an inverted spin. The feeling is somewhat similar to that experienced in an ordinary spin but much more uncomfortable. The controls seem sloppy and do not act as quickly. Altitude is lost very rapidly, and even after the plane stops spinning it takes about a thousand feet to get it off its back out of the dive, and in level flight. During this time the uncomfortable and unaccustomed altitude of the pilot makes the time in the maneuver appear much longer than it actually is. In the case cited the pilot thought he had made at least four turns of a spin before starting to come out. The movies showed only a turn and a half. The altitude lost was about three thousand feet, or about three times that required for a turn and a half of a normal spin.

The method of getting out of the spin was to pull back on the stick and reverse the rudder and ailerons. In a particularly difficult case it might be advisable to lock the elevators and jazz the motor.

In executing the inverted spin and, in fact, whenever flying on one's back, it is recommended that the safety belt be made as tight as possible and that a rubber band, made of a piece of inner tube about one inch wide, be placed over the snap of the safety belt fastener so it cannot accidentally become unhooked.

### Spokane, Wash.

By E. Harve Partridge

After battling fog, snow, mist and rain for 1000 miles, Captain Arthur E. Easterbrook, regular army instructor, attached to the 116th National Guard observation unit here, arrived in Spokane recently with one of the new Douglas O-2C airplanes. He was accompanied on the trip by Captain Ed Axberg, of the guard.

A non-stop trip of 750 miles, from Red Bluff, Cal. to Spokane was made and the engine stopped, all gas tanks empty, as the plane was taxied to the government hangar.

Captain Easterbrook reported that they covered stretches as long as one hundred miles without seeing a human habitation. Despite sub-zero temperatures, the engine functioned perfectly all the way and except for suffering from cold, the flyers completed the trip without special incident.

The plane was turned over to the guard and Captain Easterbrook is now giving guard officers time in it. His instructions


# Text Book of Aeronautical Engineering

*IN TWO PARTS*

*309 PAGES*

*146 ILLUSTRATIONS*

By PROF. A. KLEMIN

Dept. of Aeronautical Engineering, N. Y. University

PART I

Aerodynamical Theory and Data

PART II

Airplane Design

*Price—Postpaid in the U. S. $4.50*

GARDNER PUBLISHING COMPANY
250 W. 57 TH ST.
NEW YORK CITY
N. Y.

are to personally supervise the training and solo each officer.

A Jenny, which the guardsmen would like to use to race other fast ships of the type, is the pride of the unit. It has ailerons only on upper wings and its air speed indicator shows it makes 83 m.p.h. in level flight. The 150 hp. Wright-Hispano is reported to turn over 1700 r.p.m. in the air. Charlie Hilter, master mechanic of the unit, tuned it up.

Captain Easterbrook has been named president of an examining board to meet in Vancouver, Wash. in January to test applicants for flying corps commissions in the regular Army.

Despite six to eight inches of snow, and temperatures which have dropped as low as zero, guard planes have been in the air every day of the Winter.

### Improvements at Bolling Field

A contract for the improvement of Bolling Field, D. C., was recently let to Pagenhardt & Company, of Philadelphia, for $15,078., covering the furnishing of material and equipment for construction of a boiler house and a heating system in the machine shop.

### Club-house at Nashville for Airmen

Members of the 30th Division, Air Corps., Tennessee National Guard, are very anxious that Army pilots visiting Nashville, make use of their newly established club house, located in the heart of the city, at 1404 Broad Street. Major John C. Bennett, Jr., commanding the Tennessee unit, states that rooms are always available for visiting pilots.

### Aircraft Squadrons to be Manned by Enlisted Pilots

The commander of the Aircraft Squadrons Battle Fleet has reported to the Navy Department that on Jan. 1 the Fighting Plane Squadrons two and six were reorganized and will in the future be manned by enlisted pilots. As in the past, the administration and tactical command of the squadrons will remain with commissioned officers attached to the squadrons. This is the first instance in which enlisted men have been organized as a unit of the aviation forces of the Navy. Under the recent legislation affecting aviation, it was specified that by July 1, 1928, thirty per cent of the number of pilots in the Navy should be enlisted men.

The Fighting Plane Squadrons are at present based on the experimental aircraft carrier Langley. They are fast one-seater planes, used for pursuit purposes. Each squadron is composed of eighteen planes.

When the new aircraft carriers Lexington and Saratoga are completed, which will probably be in the Summer of 1927, they are to be equipped with two fighting squadrons, two torpedo and bombing squadrons, each of sixteen planes. The Saratoga will also carry an observation squadron of twelve planes and the Lexington will carry an observation squadron of six planes. This will give the Saratoga a total of eighty planes and the Lexington a total of seventy-four planes. In addition, each carrier will have in reserve, as replacements, about one-third additional planes.

### To Define Secretary Warner's Status

The Navy Department has requested congressional action in amending the existing law so that in the temporary absence of the Secretary of the Navy, Edward P. Warner, Secretary of the Navy for Aeronautics will have the same authorization to act that Assistant Secretary Robinson now has.

At present the law provides for the duties of the Secretary to devolve on the Chief of Operations "During the temporary absence of the Secretary of the Navy and the Assistant Secretary of the Navy." The bill favored by the department amends the provision contained in the act approved March 3, 1915, providing that the Chief of Naval Operations, during the temporary absence of the Secretary and Assistant Secretary of the Navy, shall be next in succession to act as Secretary of the Navy as follows: "During the temporary absence of the Secretary and the Assistant Secretaries of the Navy, the Chief of Naval Operations shall be next in succession to act as

FLYING EDO BOATS

Manufacturers of

DURALUMIN FLYING BOATS, PONTOONS, WING FLOATS and SKIIS

EDO PONTOONS FITTED ON WACO 9

EDO AIRCRAFT CORPORATION

COLLEGE POINT, L. I., N. Y.

Announcing

TRADE HAMILTON MARK

DURALUMIN PONTOONS FOR SEAPLANES

Prompt delivery on pontoons for three to four thousand pounds airplanes. Other equipment includes flying boat hulls — wing floats — skiis and floodlights made to order.

Let us quote on your requirements.

HAMILTON AERO MFG. CO.
60 KEEFE AVE., MILWAUKEE, WIS.

Secretary of the Navy."

Under the general statute the duties of the head of any department, during his temporary absence, automatically devolve upon the "first or sole assistant thereof." It is an interesting commentary that there is no official first and second Secretary of the Navy, both Mr. Robinson and Mr. Warner being assistant secretaries. It is generally accepted that under the new law the duties of the office would fall on Mr. Robinson.



*A picture showing the S-1 submarine plane packed away on the deck of the submarine*

## Submarine Plane Development

One of the outstanding problems in the development of Naval aviation is the production of aircraft which lend themselves favorably to storage in confined spaces, thus enabling airplanes to be carried to sea with the fleet. While these problems have been very satisfactorily tackled, and, to a large extent, solved, in the case of airplanes to be used on aircraft carriers, the problem of storing airplanes in the confined spaces available in a submarine is very naturally a difficult one.

The Bureau of Aeronautics, however, has given this question a good deal of attention, with the result that the S-1 single-seater scout has been developed.

This airplane, which is purely experimental, is powered with a small 3-cylinder Anzani engine. It is stored on the deck of the submarine in a cylindrical container, the complete airplane being packed up, with the pontoons and wings strapped close to the body.

## Army Air Orders

Sec. Lieut. Mason H. Lucas, Air Corps, Brooks Field, to Fort Sam Houston.

Major Charles C. Merz, Air Corps Res., Indianapolis, to active duty, Washington, D. C., reverting to inactive status Jan. 23.

First Lieut. James Baker Dickson, Air Corps Res., Evanston, Ill., to active duty Chanute Field, reverting to inactive status June 30.

First Lieut. Francis Cornelius Crawley, Air Corps Res., Dorchester, Sec. Lieut. Jesse Beecher Stowe, Air Corps Res., Sacramento, and Sec. Lieut. Irwin Alberta Woodring, Air Corps Res., Tulsa, to active duty Selfridge Field, reverting to inactive status June 30.

First Lieut. John Franklin Egan, Air Corps Res., Brooklyn, N. Y., to active duty Langley Field, reverting to inactive status June 30.

First Lieut. John Manfred Hager, Air Corps Res., Washington, D. C., to active duty in the office Assistant Secretary of War, reverting to inactive status Dec. 29.


**HOME STUDY IN AVIATION**

A BABY CREEPS, BEFORE IT WALKS, and before a person attempts to fly, he or she should have a thorough knowledge of the fundamentals of aviation.

It is with this idea in view that The American Society for Promotion of Aviation has arranged its home study course.

The course has been arranged by men of actual flying experience and is based on lessons taught by the Army Air Service, and the experiences of men in the air.

The Course covers Early History of Aviation, Gliding, The Wright Brothers and Early Aviation in America, Types Past and Present, Balloons and Dirigibles, Types and Divisions of Types, Commercial Flying, Fundamentals of the Science of Flight, Relative Motion, Newton's Laws of Motion, Natural Stability, Center of Pressure and Center of Gravity.

The Aeroplane in General, Types and Parts, Wing Structure, Body Structure, Stability, Nomenclature, Streamlining.

Assembling, Erecting, Aligning, Angle of Incidence, Turn-Buckles, Care of Airplanes, Tools and Hangars. Trueing Up Planes. Covering and Doping. Adjusting of Ailerons and Fore and Aft Balance. Checking Alignment of Fuselage. Propeller Torque. Notes on Wood Splicing.

Internal Combustion Engine. Carburetors. Magnetos. Lubrication. Trouble Shooting.

Air Conditions. Navigation. On the Field. Actual Flying. Cross Country Flying. And twenty-five questions to be answered from your study of the course.

THE PRICE OF THIS COURSE, COMPLETE WITH BLUEPRINT OF AIRPLANE, IS

**$5.00**

***Send check or money order or write for further information***

THE AMERICAN SOCIETY FOR PROMOTION OF AVIATION

522 5th Ave., New York City



**PITCAIRN**

**PLANES**

**THE PITCAIRN OROWING**

A three-place plane of craftsmanlike construction, combining to an exceptional degree the essential qualities of

EXCELLENT PERFORMANCE

EASE OF CONTROL

ECONOMICAL MAINTENANCE

ADAPTABILITY TO COMMERCIAL USE

*The Price, $2,000.00 at the Factory*

establishes the Pitcairn Orowing as the lowest-priced modern commercial airplane on the market

*Complete Description on Request*

PITCAIRN AIRCRAFT·INC

LAND TITLE BUILDING PHILADELPHIA

First Lieut. Robert T. Cronau, Air Corps, Kelly Field, San Francisco, sailing Apr. 23 for the Canal Zone.

### Navy Air Orders

Lieut. (jg) Raymond B. Drinan det. Aircf. Sqdns., Battle Fleet, to Asiatic Station.

Lieut. Comdr. Frederick Ceres det. VS Sqdn. One, Aircf. Sqdn., Sctg. Fleet, to staff Aircf. Sqdns., Sctg. Fleet.

Lieut. (jg) Winfred P. Dana det. USS Wright, to Sctg. Plane Sqdn. One, Aircf. Sqdns., Sctg. Flt.

Lieut. (jg) Clifton A. Young to Torp. & Bomb. Plane Sqdn. One, Aircf. Sqdns., Sctg. Fleet. Orders Oct. 16 revoked.

Lieut. Comdr. Daniel E. Barbey det. N.A.S., Pensacola, to temp. duty Rec. Bks., Puget Sound.

Lieut. (jg) Paul E. Roswall det. N.A.S., Pensacola, to VT Sqdn. One, Aircf. Sqdns., Sctg. Fleet.

Ensign Crutchfield Adair det. N.A.S., Pensacola, to VT Sqdn. Two, Aircf, Sqdn., Battle Fleet.

Ensign Herbert R. Ballinger det. N.A.S., Pensacola, to VT Sqdn. Two, Aircf. Sqdns., Battle Fleet.

Ensign Bromfield B. Nichol det. N.A.S., Pensacola, to VT Sqdn. One, Aircf. Sqdns., Sctg. Fleet.

Lieut. (jg) Lawrence F. Connolly det. Nav. Air Sta., Pensacola, to temp. duty USS Chewink.

Lieut. (jg) John P. Whitney det. VS Sqdn. One, Aircraft Sqdns., Sctg. Fleet, to Nav. Air Sta., Pensacola.

Capt. Frank R. McCrary det. command USS Langley, to Aircf. Sqdns., Battle Fleet.

Lieut. Comdr. James H. Shoemaker det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to command VF Sqdn. Two, Aircf. Sqdns., Battle Fleet.

Lieut. Comdr. Frank D. Wagner det. Aircf. Sqdns., Battle Fleet, to command VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. Elwood H. Barkelew det. Nav. Air Sta., Coco Solo, C. Z., to VO Sqdn. One, Aircf. Sqdns., Battle Fleet, USS Colorado.

Lieut. Frederick R. Buse det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. George F. Chapline det. VO Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Two, Aircf. Sqdns., Battle Fleet.

Lieut. George H. Hasselman det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. Wallace B. Hollingsworth det. Nav. Air Sta., Coco Solo, C. Z., to VO Sqdn. Two, Aircf. Sqdns., Battle Fleet.

Lieut. Nolan M. Kindell det. Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. Thomas B. Leet det. VF Sqdn. Two, Aircf. Sqdn., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. John E. Ostrander det. VF Sqdn. Two, Aircraft Sqdn. to VF Sqdn. Six, Aircraft Sqdns., Battle Fleet.

Lieut. Daniel W. Tomlinson det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. Frank W. Wead det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircraft Sqdns., Battle Fleet.

Lieut. (jg) Edward C. Ewen det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. (jg) Ward C. Gilbert det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. (jg) Harold G. Hazard det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. (jg) Robert F. Hickey det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. (jg) Henry F. MacComsey det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Lieut. (jg) Aaron P. Storrs det. VF Sqdn. Two, Aircf. Sqdns., Battle Fleet, to VF Sqdn. Six, Aircf. Sqdns., Battle Fleet.

Ensign Walter V. R. Vieweg det. Nav. Air Sta., Pensacola, to VT Sqdn. Two, Aircf. Sqdns., Battle Fleet.

THE BEST THAT MONEY CAN BUY
IN A COMMERCIAL TRAINING SHIP

$2,250. $2,250.

A HESS PRODUCT MEANS
A STRONG ONE

*"Quality and Strength at Low Cost"*

HESS AIRCRAFT CO.

Sales Office

WYANDOTTE, MICHIGAN

The Purpose of the

National Aeronautic Association

is to

MAKE AMERICA FIRST IN THE AIR

*In this effort it merits and invites*
*YOUR cooperation and support*

Regular Membership $5.00 per Year

National Headquarters

1623 H. Street, N. W., Washington, D. C.

*The Aeroplane*

Published Weekly

175, Piccadilly, London, W.1
England

CHARLES GREY
Editor

Subscription Rates
for U.S.A.

1 year—$8.50

THE

# ADVANCE AIRCRAFT CO.

*LARGEST PRODUCERS OF COMMERCIAL AIRCRAFT IN AMERICA ANNOUNCE*

## PRICE REDUCTION

ON THE IMPROVED

## WACO-9

THREE-SEATER

## $2250.

AT TROY, OHIO

More WACO'S are now in service for profit and pleasure than all other planes now in production in America.

**THE PERFORMANCE MADE THE DEMAND**

*Write for Details*

**THE ADVANCE AIRCRAFT COMPANY**
**TROY, OHIO**

# PUBLISHER'S NEWS LETTER

Occasionally there passes out of the lives and affairs of men a rare character whose quiet and self-effacing guidance has had an important though unknown influence on the trend of some particular sphere of work. All achievement, no matter how material, is in its last analysis merely the reflection of an idea and all ideas are moulded by surroundings, opportunity and character. True modesty carries with it a reticence that not only does not wish praise and appreciation but regards it as entirely out of place. Some receive great honor in life but are soon forgotten. The genuine and enduring work of others goes on long after their last kind act. Such a man has gone out of the lives of many and were it not for the influence he has had on aeronautics in this country, these cryptic words would not have been written. He would have preferred none.

* * * *

Whenever the subject of air transport, particularly the carrying of passengers is discussed, the element of time saving is always accepted as a demonstrated fact without the close analytical and statistical consideration that safety receives. It is commonly stated that a few hundred miles can be covered three times as quickly by airplane as by train and the conclusion is assumed that the time gained is time saved. Little is said of the time *lost*. Air traffic in goods is entirely for business gains and that means saving of time between the hours of 9 A.M. and 5 P.M. On long main airlines such as the trans-continental air mail where the traffic moves night and day the comparison is justifiable. But where there is night train service between two points and no night flying, sending goods by air can often cause a delay owing to the time consumed during the working hours. Except on feeder lines with night flying connections and on very long routes, the time consumed should be given as much attention as the time saved.

With passengers, the whole problem changes which makes the carrying of goods and passengers so difficult where there is only one schedule. Air travellers use aircraft for three reasons; first, for the thrill they think they will get and to have something to talk about; second, to see the country while on a pleasure trip and avoid the inconvenience of slow trains; third, to save time for business reasons. The first class may be disregarded as they will soon disappear. The pleasure seeker does not care anything about saving time. The business man does want to save time and the time he wants free is during the day when business is being done. It is just as logical to figure as a part of the cost of travel, the hours consumed in the air at an hourly rate of salary as has been done in showing the value of the time saved by air travel by multiplying the hours saved by the supposed hourly income. In other words the success of air traffic will depend largely on the savings in time it can make during the daytime.

* * * *

This leads to another point. Most of the comparisons in time saving have been made with train service. Soon, if not now, the automobile bus will have to be reckoned with. Where train service does not exist or is infrequent and slow, the bus is rapidly coming into use. In the Syrian Desert, East of Palestine automobiles cross the desert and steppe and reach Baghdad in twenty hours. This trip formerly required twenty to sixty days. The airplane can cross it in about ten hours. In one year this automobile line carried 1476 passengers and 3500 pounds of mail. Arriving at Baghdad, the journey may be continued to Kermanshah, Persia a distance of 222 miles which formerly took eight days and now only twelve hours by automobile. Teheran, 650 miles away can be reached in four days as compared with the old time of thirty-two days of dusty dreary mountain and desert riding. Mosul which is 230 miles north of Baghdad has maintained communication with Harun al Raschid's capital in two ways; by road which took ten days or by floating down the Tigris River on a comfortable raft, a journey of a few days to two weeks depending on the season of the year. Now the trip is made in twelve hours.

* * * *

These facts show the development only in a small though inaccessable area. All over the world wherever there is traffic, the extensions are the same. The airplane has a real competitor in the automobile bus, particularly for day traffic. All of which should show how essential it is to prepare, plan and develop all possible night flying facilities. More success to Secretary Hoover in his efforts to get a little money out of Congress for the equipment of night airways.—L.D.G.

## INDEX TO ADVERTISERS


Advance Aircraft Co. ..... 151
Aerial Machine and Tool Co. ..... 156
Aircraft Service Directory ..... 156, 157, 158
Alexander Aircraft Co. ..... 143
American School of Aviation ..... 143
American Society for the Promotion of Aviation ..... 149
Arthur & Co., Wm. E. ..... 157

B.B.T. Corp. of America ..... 145

Classified Advertising ..... 155
Crawford Airplane Co. ..... 157
Curtiss Aeroplane & Motor Co., Inc. ..... 120

Decatur Aircraft Co. ..... 158
Detroit Aero Motors Co. ..... 157
Dickerson Steel Co. ..... 157

Edo Aircraft Co. ..... 148

Fischer & Jacobs, Inc. ..... 156
Fort Wayne Marine Co. ..... 156
Free, Russell ..... 158

G and O Manufacturing Co. ..... 156
Guggenheim School of Aeronautics ..... 157

Hamilton Aero Mfg. Co. ..... 148
Hartzell Walnut Propeller Co. ..... 158
Haskelite Mfg. Co. ..... 157
Hess Aircraft Co. ..... 150
Huff-Daland Airplanes, Inc. ..... 157

Ireland Aircraft, Inc. ..... 157
Irving Air Chute ..... 143

Johnson Motor Products Co. ..... 156

Kentucky Aircraft Corp. ..... 135
Kreider-Reisner Aircraft Co., Inc. ..... 157

Lincoln Aircraft Co. ..... 156
Loening Aeronautical Engineering Co. ..... 117
Ludington Exhibition Co. ..... 157

Martin Co., The Glenn L. ..... 116
Miller, Palmer Co. ..... 158
Monumental Aircraft, Inc. ..... 156

National Aeronautic Association ..... 150
Nicholas-Beazley Airplane Co. ..... 156

Ostergaard Aircraft Works ..... 156

Perry-Austen Mfg. Co. ..... 145
Pioneer Instrument Co. ..... 156
Pitcairn Aviation, Inc. ..... 149
Posey and Co., J.V.G. ..... 156
Pratt & Whitney Aircraft Co. ..... 118

Rochford, Daniel ..... 156
Ryan Airlines, Inc. ..... 146

Scintilla Magneto Co., Inc. ..... 133
Service Steel Co. ..... 157
Seversky Aero Corp. ..... 153
Southern Airways, Inc. ..... 156
Standard Steel Bearings Co. ..... 141

Titanine, Inc. ..... 153
Travel Air Mfg. Co. ..... 139

Vacuum Oil Company ..... 115
Van Schaack Bros. Chemical Works, Inc. ..... 146
Vimalert Company, Ltd. ..... 157
Vought Company, The Chance ..... 114

Wallace Aero Co. ..... 157
Where to Fly ..... 154, 155
Wies, Inc., Geo. A. ..... 156
Wright Aeronautical Corp. ..... 160

Yackey Aircraft Co. ..... 146



STREAMLINED METAL

SKIIS

Patents Applied for

Ready for Delivery
for Planes Up to 3300 Pounds

SEVERSKY AERO CORP.

Designers of aeronautical accessories, instruments, fire and bombing controls for aircraft and Universal landing gear for use on snow, land and water.

7 East 42nd Street New York, N. Y.

DOPES

PIGMENTED DOPES
VARNISHES ENAMELS

TITANINE

MADE BY

TITANINE, Inc.

UNION, UNION COUNTY, N. J.

*Contractors to U. S. Government*

"L'AÉRONAUTIQUE"

*The leading French paper*

*PUBLISHED MONTHLY*

Gauthier-Villars et Cie,
55, quai des Grands-Augustins (6°)
Paris

Henri Bouché

*editor*

SUBSCRIPTION RATES
FOR U. S. A

1 year—160 francs

# Where to Fly

*CALIFORNIA*

**THE RYAN SCHOOL OF AVIATION**

O. B. STAR ROUTE SAN DIEGO

*Ideal flying weather all Seasons. Very best of planes and instructors. Opportunity to study latest planes and construction.*

A few recommended students will be given employment in our shops, while learning to fly.

*CONNECTICUT*

**NEW ENGLAND AIRCRAFT CO., INC.** New England's largest, most complete airdrome, of 96 acres. Commercial flying service. Complete flying instruction. Inter-city passenger and light express service by appointment. Advertising, photography. Our rates are reasonable and we make commercial pilots. Waco 9 distributors for New England.

805 MAIN ST., HARTFORD, CONN.

*FLORIDA*

Announcing the consolidation of all our flying school equipment at TAMPA making it the largest school of aviation in the South. Our aim and endeavor is, EVERY STUDENT AN EXPERT COMMERCIAL PILOT. Prices reasonable. Send for literature. **A. B. McMULLEN COMPANY**

P. O. BOX 4272, TAMPA, FLA.

*IDAHO*

**WALTERS FLYING SERVICE**

**BOISE, IDAHO**

COMPLETE FLYING INSTRUCTIONS AND GROUND COURSE

Learn to Fly at High Altitude—then you can fly any place

*ILLINOIS* *Only 50 miles west of Chicago*

**EAGLE AIRPORT SCHOOL OF AVIATION.**

Herman J. Neubauer, M.D.

Hinckley, Ill.

Learn to Fly at our up-to-date school at very reasonable prices. Complete ground and air course. Come any time. Ideal accommodations for students. Expert instructors. Write for information.

*ILLINOIS*

**MID-WEST AIRWAYS CORPORATION**

**MONMOUTH, ILLINOIS.**

Complete flying instruction and ground course. Large safe field and good airplanes. Distributors for the new Waco airplane.

**CHICAGO AERONAUTICAL SERVICE**

INCORPORATED

Resident or Home Study Courses in Theory and Practice of Aviation. Enroll now in our Pilots School and pay as you fly. Free Employment Service.

*Write for free booklet.* 608 South Dearborn St., Chicago, Ill.

*ILLINOIS*

**HEATH AIRPLANE COMPANY, Inc.**

*Oldest aeronautic establishment in U. S.*

Airplane Supplies 2856 Broadway Flying School Chicago

*ILLINOIS.* **YACKEY'S CHECKERBOARD FLYING FIELD.** *Operated by the Yackey Aircraft Co., one of the oldest flying schools in the U. S.* The Yackey Aircraft Co. is conducted by men who have made a success in all branches of flying before the war — — in the war and after the war — — U. S. Army, U. S. Air Mail and Civilian. You can only learn from one who knows. You only know from experience. We have proven our ability. YACKEY AIRCRAFT COMPANY, Forest Park, Illinois.

*ILLINOIS* **Campbell De Schepper Airplane Co., Inc.**

Best equipped commercial field in the middle west. 24 hour service with night flying equipment and used by N. A. T. mail line Chicago to Dallas. A limited number of students accepted for training at reasonable rates. We invite cross country pilots to make use of our facilities.

*Mail address* 515-18 ST., MOLINE, ILLINOIS.

*ILLINOIS* **Pal-Waukee Airport & Service Station.** *Distributors of new Swallow Airplanes.* The Field with New Equipment. Chicago's new and most modern airport, four-way field, 2200 X 1200 ft., hangars, shops and supplies. Board and room near field. Located on Milwaukee Ave. at Palatine Road, 20 miles northwest of Chicago loop, 5 miles north of Des Plaines, Ill. Convenient and courteous service to visiting pilots, Pal-Waukee Airport, *P. O. Address* Mount Prospect, Ill.

*KANSAS*

**ALLISON AIRPLANE CO.** *Winter Flying Instruction.* Special rate $100. Room and board $8 a week. Modern planes only used here. Commercial and sport planes at attractive prices. Our factory gives training in airplane construction and an opportunity to assemble your own plane from parts and save money LAWRENCE KANSAS

*MARYLAND* LOGAN FIELD

**CHESAPEAKE AIRCRAFT COMPANY,** Headquarters Armory, Baltimore. Passenger and express service. Aerial photography and advertising. Flying school $250. for course. No bond for solo. *Agents for TRAVEL AIR Planes, Maryland, Virginia & District of Columbia.* Phone Vernon 3760.

*MICHIGAN*

**NILES SCHOOL OF AVIATION**

Guaranteed course of instruction in flying. Enroll at any time. No bond for solo flight. Become an expert pilot under expert instructors.

NILES AIRWAYS NILES, MICHIGAN.

*MICHIGAN* **LEARN TO BUILD AIRPLANES**

OVERCASHIER AVIATION SCHOOL

8 Arcadia Building, 3513 Woodward, Detroit, Michigan.

*Please forward information on practical commercial aviation courses.* X .....

Motor expert — Construction — Flying *Established 6 years.*

**COMPLETE FLYING COURSE, 15 HOURS, $200.**

All training on Eaglerock Airplanes with individual instruction. No classes, enter any time and stay as long as you like. We operate Richards Field Storage and Service, used by Army and Air Mail. Every kind of airplane can be seen in operation here.

**BENNETT EAGLEROCK SALES COMPANY**

223 WEST 12TH STREET, KANSAS CITY, MO.

*MISSOURI*

**BRIDGETON AIRCRAFT CORPORATION**

ST. LOUIS FLYING FIELD ANGLUM, MISSOURI.

Thorough flying instructions by the hour or complete course. Ground and air work given by competent instructors. Only new planes used. A personal interest taken in each student.

DISTRIBUTORS OF ALEXANDER EAGLEROCKS

*MISSOURI*

**MUNICIPAL FLYING FIELD.** Rates $15.00 per Come when you can and stay as long as you like. Can t few students to work out part of tuition. No extra charg oil or gas. Board and room $8.00 per week. All instru is personal and no charge for ground school or learning to *Write* LEE R. BRIGGS, MEMPHIS, MO., *for further partic*

*MISSOURI*

**NICHOLAS-BEASLEY AIRPLANE CO.** Complete flying instructions, by hour or by complete course, primary, cross country, advance training, solo. New ships and new motors. Instructors who take an interest in you. No deposit required on solo flight. Write for full particulars. **MARSHALL, MISSOURI.**

*MISSOURI*

**LEARN TO FLY!** *ONLY $100.* Our instructors of long experience, our modern training airplanes, and the best flying field in the Middle West make us the best equipped school in the country to teach you to fly properly. *Enroll Now.*

PORTERFIELD FLYING SCHOOL, *Richards Field,* Kansas City, Mo.

*NEBRASKA*

**LEARN TO FLY at the LEXINGTON SCHOOL of AVIATION**

LEXINGTON, NEBRASKA

Complete flying course $175.00 or $20.00 per hour, no charge for ground school. Taxi service 20c per mile any where, any time. We fly new planes only. Distributors for Swallow airplanes.—G. R. MORTON, *President*

*NEW YORK*

**CURTISS FLYING SERVICE INC., GARDEN CITY, N. Y.**

Complete Flying Service including Instruction, Aerial Photography, Advertising and Passenger carrying. Fast cross country transportation at a moment's notice to any point with either land or water types. Air fleet of thirty machines. Flying the year round. *Big reduction in rates for Flying Instruction.*

*Write for information.*

## WHERE to FLY

CONTINUED ON FOLLOWING PAGE

# Where to Fly

## CONTINUED

*NEW YORK*

FLYING SCHOOL—Operated in connection with our shops assuring a Liberal Knowledge of Design and Construction at no additional expense. Competent Instructors. *Reliable Machines.* Passenger Flights and Cross Country Service. Write for Details. AERIAL SERVICE CORP., HAMMONDSPORT, N. Y.

*OHIO*

JOHNSON FLYING SERVICE
DAYTON OHIO
GRADUATES OF OUR SCHOOL HAVE A REAL ADVANTAGE
*A Flying School of Distinction. Write for Further Particulars*

*OHIO*

INDIAN LAKE AVIATION COMPANY
RUSSELL'S POINT, OHIO.
Learn to fly for $125.00 at Indian Lake, Ohio's million dollar playground. First class at this price, starting Nov. 1. We are in our seventh successful season of training and passenger work.

*OREGON*

FLY IN THE NORTHWEST.
RANKIN SCHOOL OF FLYING - 408 Oregon Building
PORTLAND, OREGON.

*PENNSYLVANIA* *PITTSBURG*

BETTIS FIELD
Pittsburg Air Mail Terminal, C.A.M. No. 11.
*20 Minutes from heart of city.*
LOVEJOY FLYING SCHOOL MODERN EQUIPMENT
Mail address: Lock Box 411, McKeesport, Pa.

PITCAIRN AVIATION, INC.
Land Title Building, Philadelphia
*10-HOUR FLYING COURSE.* 4-way flying field, at Hallowell, Pa., the largest in the East, in midst of ideal flying country. All-year-round school. Modern flying equipment, including Pitcairn Orowings. Reasonable board and lodging near field. No liability bond required.
*Write for Illustrated Booklet*

*TEXAS* Year-round Flying

SAN ANTONIO AVIATION & MOTOR SCHOOL
Expert instruction in flying and mechanics
Free sleeping quarters at Airdrome
AIRPLANES, ENGINES, PARTS, SUPPLIES, SHOPS, HANGARS, OX5s, Hissos, Liberties, Jennies, Canucks, Standards
Large stocks on hand, prompt shipment, best values.
Office 509 Navarro Street San Antonio, Texas

*WASHINGTON*

MAMER FLYING SERVICE
1312 West Broadway Spokane, Washington
All flying instruction is personally given by Nick Mamer, former army, air mail, and forest patrol pilot. Ten years of flying experience. Rates very reasonable. Write.

YOUR card, in this directory, serves to keep your flying service continuously before the readers of AVIATION at trifling cost.

*Write for Rates*

AVIATION
250 West 57th Street, New York City

## CLASSIFIED ADVERTISING

10 cents a word, minimum charge $2.50, payable in advance. Address replies to box numbers, care AVIATION, 250 W 57th St., New York.

Practically new 80 LeRhone complete, with propeller and hub, motor mount and casserole. Guaranteed A1 condition, first check for $100.00 takes it. Campbell-Deschepper Airplane Co., Inc., Moline, Illinois.

Jenny, good condition $275.00, will trade for two OX5 or OXX6 engines. New standard fuselage $150.00, wings $200.00. Roy Rosenberger, 4900 N. Main St., Houston, Texas.

Young man, some experience with army phone, electrical and rib work during war, and electrical work in all branches, would like to get employment with some firm manufacturing or handling planes or equipment. Student in aeronautics. Box 544, AVIATION.

FOR SALE: OX5 engine, one tooth-pick propeller, two new 26 x 4 tires, and one Jenny radiator, splendid condition, $175 for the lot. Will hold until Spring for $25.00 deposit. Frank V. Cassidy, Norristown, Pa.

OXX6 standard, turning 1450, new lower wings, fuselage and controls recovered in May. Forced to sacrifice at $500.00. Lou Meister, 501 Felix, St. Joseph, Mo.

Jenny complete without motor $225.00. Also four Jenny wings. Brand new Canuck landing gear, wires, struts, instrument board, instruments. Write for prices. Frank J. Pappas, Meadville, Pa.

FOR SALE: Curtiss Seagull, latest type with balanced ailerons, dual wheel control, metal propeller, factory overhauled K6, new wings wires and fittings, ship like new with dock all ready in center of city all ready to do business, extra motor, $4,000., act quickly. Russell Holderman, Sarasota, Florida.

WANTED Eastman K5 aerial camera with or without cone and lens. Must pass reasonable mechanical inspection. Give complete details first letter to Box 525 AVIATION.

FOR SALE: Curtiss Seagull, Loening air Yacht and Liberty motors. Curtiss Metropolitan Airplane Co., Port Washington, Long Island, N. Y.

**Advertisements inserted regularly in AVIATION'S Classified Section pay for themselves many times over.**

*Keeping Abreast*

of aeronautical activities is possible only by reading

AVIATION

each week. Yearly subscription rates: United States $4; Canada $5; Foreign $6.

AVIATION
250 W 57TH ST. NEW YORK CITY

# The Aircraft Service Directory

## WHERE TO PROCURE EQUIPMENT AND SERVICES


**FUEL LEVEL GAUGE**

**PIONEER INSTRUMENT COMPANY**

MAIN OFFICE AND FACTORY BROOKLYN NEW YORK

WASHINGTON 441 STAR BUILDING — PARIS 97 BOULEVARD SAINT MICHEL — SAN FRANCISCO 15 SPEAR STREET

THE LINCOLN SPORT PLANE. *Build and fly it yourself.*
100 Miles Per Hour. 30 H.P. Motor. Blue Prints and material now ready for builders. Send 25c for illustrated book. *It tells you how.* New flying school opens March 1st. Earn while you learn.



Lincoln Aircraft Co.
LINCOLN, NEBRASKA
*Dept. 7*

Standard J-1 lower wings, $20.00 to $60.00 each. Upper wings, $50.00 to $100.00 each. Brand new Standard J-1 airplanes, complete with motor, $750.00 up. OX5 Parts. Water Pump Assemblies, $6.00. Exhaust Manifolds, each side, $3.50. Crank Case, lower half, $16.00. Intake Valves, $.30. Exhaust Valves, $.40. Largest stock of strictly commercial airplanes, motors, parts and supplies in the United States. Immediate Delivery. Our flying school is open the year around. Write for new catalog.

NICHOLAS-BEAZLEY AIRPLANE CO.
MARSHALL, MO.

**AIRPLANE SPRUCE**

Specialists in airplane spruce for nearly twenty years.
We supply many of the largest aircraft manufacturers in the United States and Europe.
Our spruce is dried in thermostatical kilns to Government specifications.
*Prompt shipments in carloads and less than carloads.*
J. V. G. POSEY & COMPANY, LUMBER MERCHANTS
Northwestern Bank Building, Portland, Oregon

**EXPERIMENTAL MOTOR WORK**

We will rebuild any make of motor, or make or duplicate any part of a gasoline engine. We will work out any idea you may have on a motor. We will advise whether or not your ideas are practical. We will increase the horse power and R.P.M's. of any standard motor We make special valve mechanisms for OX Curtiss motors.

FISCHER & JACOBS, INC. AUTOMOTIVE ENGINEERS
Chew Street above Chelton Ave., Germantown, Philadelphia, Pa.

GENUINE LINEN AIRPLANE COVERS

| | JN. | CAN. | STD. | | JN. | CAN. | STD. |
|---|---|---|---|---|---|---|---|
| Fuselage | 17.00 | 17.00 | 17.00 | Center section | 3.75 | 3.75 | 3.75 |
| Aileron, ea. | 5.00 | 5.00 | 6.25 | Rudder | 5.00 | 5.00 | 5.00 |
| Fin | 2.25 | 2.25 | 2.25 | Elevator, ea. | 4.25 | 4.25 | 4.25 |
| Turtle back | 2.50 | 2.50 | 2.50 | Upper Wing | 18.00 | 18.00 | 20.00 |
| Hor. stab. | 8.50 | 8.50 | 8.50 | Lower Wing | 16.00 | 15.00 | 16.00 |

Full Set JN. $125.00: CANUCK, $125.00: Standard, $135.00.
Clear Dope, $2. gal.; Pigmented—any color, $2.65 gal.; Pinked tape 4c yd. WANTED: Used, serviceable OX5s and Anzanis.
Ostergaard Aircraft Works, 4305 N. Narragansett Ave., Chicago, Ill.

*While They Last*

**HISSO TIMING DISKS**

$2.50, cash with order
Lots of three, $2.25 each, lots of six, $2.00 each. Postage prepaid

FORT WAYNE MARINE COMPANY
1117 Fairfield Ave., Fort Wayne, Ind.

*New*

**— LIBERTY MOTORS —**

WITH ALL THE LATEST IMPROVEMENTS.
CAN SUPPLY FROM STOCK ANY NEW "LIBERTY" PARTS DESIRED.
*WRITE OR WIRE FOR PRICES.*
JOHNSON MOTOR PRODUCTS, Inc.
518 West 57 St., New York.

**HISSO MOTORS & PARTS**

Valves, rings, banks, carburetors, magnetos, water pumps, exhaust stacks, radiators, crank cases and shafts, pistons, wrist pins, bearings,—*good stock low prices.* Write for price of what you need.
AIRPLANES, JN4D, new and used, JN6H, OX5 and Hisso Standard, D H, Thomas Morse Scout.
OX5 motors, new and used and spares.
INSTRUMENTS DOPE PROPELLERS FABRIC WINGS
SOUTHERN AIRWAYS INC.
210 COLLEGE ST., SAN ANTONIO, TEXAS.

**DANIEL ROCHFORD**

Aviation Editor, Boston Evening Transcript
AVIATION ADVERTISING AND PUBLICITY IN NEW ENGLAND NEWSPAPERS
G.P.O. Box 2433 Boston, Massachusetts

**TRAVEL AIR** AMERICA'S FOREMOST COMMERCIAL AIRPLANE

*Sold in* New York, New Jersey and Pennsylvania *by*

GEO. A. WIES, INC.

*Hangar*
*Curtiss Field*
192 Linden Avenue
Mineola, New York

**AERIAL MACHINE & TOOL COMPANY**

79 Grand Street, New York City

Parts made from blue print, sketch or sample. Your inquiries will receive our prompt attention.

***Contractors to government***

**G&O Radiators**

**Exceptional Quality in material, workmanship and design.**

THE G & O MANUFACTURING CO.
NEW HAVEN CONN.

**AIRCRAFT SUPPLIES**

Recent additions to our stock of wide variety and large volume of standard and utility aircraft materials and motor parts now enables us to give you prompt and efficient service.

Send for Catalogue No. 3. Special quotations on quantity orders.

MONUMENTAL AIRCRAFT, INC.
1030 N. Calvert St., Baltimore, Md.

# The Aircraft Service Directory

## WHERE TO PROCURE EQUIPMENT AND SERVICES

**EVERYTHING FOR THE AIRPLANE**
*Send for Our Catalogue*
*LARGEST AIRPLANE SUPPLY HOUSE IN THE WEST*
A complete line of parts and accessories for aircraft at lowest prices.
A money-back guarantee on everything sold.
WRITE OR WIRE US YOUR REQUIREMENTS.
CRAWFORD AIRPLANE COMPANY
*"Masters of the Air."*
350 WASHINGTON BLVD. VENICE, CALIFORNIA

Air Spec. 10225D
**SEAMLESS STEEL TUBING**
*Complete Warehouse Stock*
*for Immediate Shipment in any Quantity.*
SERVICE STEEL CO. 1435 Franklin St. DETROIT, MICH.

***For Sale***
**LIBERTY MOTORS**
With or Without Conversions
COMPLETE STOCK OF PARTS
*ALSO*
ANY MAKE OF ENGINE OVERHAULED
Unsurpassed Facilities, Moderate Charges
THE VIMALERT COMPANY, LTD.
807 Garfield Avenue, Jersey City, N. J., Delaware 3150

Actual Size
**SEND ONE DOLLAR**
We will send you by return mail a beautiful pair of sterling silver wings mounted on bar pin with safety catch, also identification card issued by National Flyers Ass'n. These pins are being worn by thousands of aviators, aviation mechanics and boosters.
WALLACE AERO CO., Bettendorf, Iowa

*We Specialize in Simple and Alloy Steels to U. S. Government Specifications.*
Most grades are carried regularly in our warehouse.
Hot and cold rolled bars and strips.
THE DICKERSON STEEL COMPANY
DAYTON, OHIO.

WE invite the attention of both the experienced Air Mail contractors and those contemplating new express mail, and passenger routes, to our single and multi engined convertible, land or seaplane types of
**TRANSPORT PLANES**
HUFF DALAND AIRPLANES, INC.
475 Fifth Ave., NEW YORK. *Factory*, BRISTOL, PA.
*"Specialists in U. S. Air Service Bombardment Planes"*

**KREIDER-REISNER AIRCRAFT CO., INC.**
***Waco Nine Distributors***
FOR SALE: Berkman Scout (less motor) $150; Jennie $700; Canuck (new) $1,000; used Waco Nines from $1,650. up.
**HAGERSTOWN MARYLAND**

**HASKELITE PLYWOOD**
Only Plywood made to pass strict Grade "A" Navy Specifications.
Can be furnished in any size or thickness.
HASKELITE MANUFACTURING CORPORATION
133 W. WASHINGTON ST., CHICAGO, ILL.

**LUDINGTON EXHIBITION COMPANY**
Passenger Flying
Instruction
Victor Dallin—
Aerial Photography
AGENTS FOR WACO NINE
Spares of All Kinds
Sport Farman Ships
Aerial Taxi Service
Exhibition Flying
Office: Atlantic Bldg. PHILADELPHIA
Flying from Pine Valley Field PINE VALLEY, N. J.

**Daniel Guggenheim School of Aeronautics**
Courses in Aeronautical Engineering and Industrial Aviation. For particulars apply to the Dean of the College of Engineering,
**N. Y. University, University Heights, New York, N. Y.**

THE DETROIT AERO MOTORS CO.
10331 CHARLEVOIX AVE., DETROIT, MICH.
Quantity of 220 H. P. Hispano's, new and complete. Write for prices, state quantity.

**BARGAINS**

| | |
|---|---|
| New 26 x 4 tires | $ 3.25 |
| New Curtiss K-6 Motor | 1500.00 |
| New Curtiss C-6A Motor | 2300.00 |

We have many other bargains in airplanes, motors, and parts.
Before buying get our quotations.
**IRELAND AIRCRAFT, Inc.**
**Curtiss Field, Garden City, N. Y.**

*Place Your Product Before the Industry by Advertising in The Directory*

WILLIAM E. ARTHUR & CO., INC.
108 PARK AVE., NEW YORK CITY
*Engineers and Builders*
HANGARS — AIRPORTS — FLYING FIELDS,
DRAINAGE, LIGHTING SYSTEMS, EQUIPMENT, ETC.
*A SATISFIED CLIENT OUR MOTTO.*

## AIRCRAFT SERVICE DIRECTORY

CONTINUED

Contractors to U. S. Government and Commercial Manufacturers

**HARTZELL PROPELLERS ARE RELIABLE**

BUILT ON HONOR — THEY ARE GIVING EFFICIENT SERVICE ON ALL CLASSES OF MILITARY AND COMMERCIAL AIRPLANES

*New OX Walnut Propellers for Quick Shipment*

**HARTZELL WALNUT PROPELLER CO.**

PIQUA, OHIO

THE AIRCRAFT SERVICE DIRECTORY

*Brings You Into Weekly Contact With*

THE ENTIRE AERONAUTICAL INDUSTRY

**High Lift Wings for JN4D and Canucks, $320. Set**

MOTORS, OX5, Mercedes, Hall Scott, Propellers for Hisso 180 and OX5- OX6 Parts for JN4D and Canucks, JN4D Fuselage uncovered, Standard J1 with used OX5 motor, Regular JN4D and Canuck uncovered wings, rudders, elevators, wing wires, struts, gas tanks. Write for prices and list of material.

RUSSELL FREE

109 N. 16 ST. RICHMOND, IND.

**DECATUR AIRCRAFT COMPANY**

DECATUR, ILLINOIS.

*New and Used Ships for Sale*

Parts for JN4D-JN4C or Standard J1 Ships
OX5-OXX6-Hisso or Liberty Motors
Complete Flying Course—$150.00

*Write for our new catalog*

**SEND ONE DOLLAR**

We will send you by return mail a model monoplane with full directions which enable you to rig in five minutes. Flies like a kite. 35½" span, 8" chord, 30" length over all, weight 5 ounces.

**MILLER, PALMER CO., Dubuque, Iowa**

***When***
***Buying — Selling — Exchanging***
*Planes, Motors, Accessories*
***Try***
THE AIRCRAFT SERVICE DIRECTORY
and
THE CLASSIFIED SECTION OF
AVIATION

# Who's Who in American Aeronautics

PUBLISHED BI-ANNUALLY

‡‡

THE BLUE BOOK OF AMERICAN AIRMEN

‡‡

*Contains One Thousand Biographies of*

Aviators, aeronauts, aeronautical engineers, aircraft manufacturers, flying officers of Army, Navy and Marine Corps, Air Mail personnel, aircraft accessories manufacturers, flying field owners, American aces, aeronautical instructors, inventors, National Guard air officers, aeronautical writers, sportsmen, men prominent in aeronautical affairs.

‡‡

*Two Hundred Illustrations*

‡‡

PRICE — TWO DOLLARS

---

GARDNER PUBLISHING COMPANY
250 W. 57TH ST., NEW YORK

Enclosed please find Two Dollars for copy of Who's Who in American Aeronautics.

Name .....

Address .....

City .....

# 443,250

copies of

# AVIATION

## *WERE DISTRIBUTED DURING 1926*

This distribution is many thousands in excess of the combined yearly distribution of all the other American aircraft publications.

AVIATION carried during 1926 more paid advertising than any three other American aircraft publications combined.

Advertisers select AVIATION because it is preferred by aircraft manufacturing executives, engineers, commercial operators and pilots, and Government air officers.

This preference is logical because AVIATION best represents their interests and point of view, and is the only American aircraft publication which comes to them weekly

**Fisk Building, 57th Street at Broadway**

**NEW YORK**

# In 1926
# WRIGHT WHIRLWIND ENGINES
# Flew More Than

# 1,750,000 MILES

## In Commercial and Private Airplanes

*Whirlwinds Have In 1926;*

### In Competition

Made first North Pole flight by Commander Richard Byrd in Fokker 3-engined plane.

Won 1st place Annual Reliability Tour of 2,555 miles in TravelAir plane carrying 600 lbs. pay load, average speed 124½ m.p.h.

Won 2nd Place Annual Reliability Tour in Buhl Verville Airster carrying 800 lbs. pay load, average speed 113.5 m.p.h.

Won 3rd Place Annual Reliability Tour in Stinson "Detroiter" carrying 640 lbs. pay load, average speed 106.7 m.p.h.

Won Transport Race for Detroit News Air Transport Trophy at Philadelphia in Wright Bellanca carrying 1,607 lbs. ballast at 121.53 m.p.h.

Won Light Commercial Race at Philadelphia carrying 1,145 lbs. ballast at 121.36 m.p.h.

Won 12 out of 18 prizes they competed for at Philadelphia.

Won 3 First Prizes at Denver Mile High Air Meet in Ryan M-1.

Made Non-stop Portland, Oregon to Los Angeles flight 1,050 miles 9 hrs. 20 min. in Ryan M-1 Monoplane of Pacific Air Transport.

Carried 2,666 lbs. pay load at Philadelphia at 114.99 m.p.h. in the Stout 3-engined airliner built by the Ford Motor Company.

### In Daily Service Flown for

Philadelphia Rapid Transit Company—339,950 engine miles with $75.55 cost of engine parts averaging 10½ gal. fuel per engine hour on their 255 mile route—Philadelphia, Washington, Norfolk, using 12 WHIRLWINDS exclusively in Fokker planes.

Varney Air Mail Service—172,030 miles with $78 cost of engine parts on their 520 mile route across the Rocky Mountains from Salt Lake to State of Washington using 7 WHIRLWINDS exclusively in Swallows.

Colonial Air Transport—89,000 miles with $225 cost of engine parts on their 192 mile route New York to Boston, using 4 WHIRLWINDS exclusively on this route in Fokker and Curtiss planes and 3 in their Fokker Airliner.

Pacific Air Transport—251,700 miles on their 1,121 mile route Los Angeles to Seattle using 8 WHIRLWINDS exclusively in Ryan and Travel Air planes.

Northwest Airways since October—39,600 miles on their route 377 miles Chicago to St. Paul using WHIRLWINDS exclusively in Stinson "Detroiters."

National Air Transport—30,980 engine miles as part equipment for their 987 mile route Chicago to Dallas in Travel Air, Ford—3-engine plane and Wright Bellanca.

Florida Airways—74,690 miles, as part equipment, on their 683 mile route Atlanta to Miami using 4 WHIRLWINDS in Stinson and Curtiss planes. Carried $2,000,000 currency into Miami from Atlanta the day after the hurricane, in Stinson "Detroiter".

Canadian Air Express 40,590 miles on their route at Red Lake, Canada, using 3 WHIRLWINDS exclusively in Stinson "Detroiters" and Curtiss Larks.

Huff-Daland Dusters, Detroit Arctic Expedition, Charles Dickinson, Henry Dupont of Wilmington and Pontiac, Canadian and American Fairchild Company, Bennett & Rodebaugh of Alaska, Central Canada Airlines, Frederick Ames of Boston and many others.

**These performances recommend to pilots the Wright Whirlwind, 200 H.P. Air-Cooled Engine for**

**SAFETY — ECONOMY — DURABILITY**

*That's why More Pilots fly them!*

WRIGHT AERONAUTICAL CORPORATION, Paterson, New Jersey, U. S. A.